



# NEWBEAT®

*Building quality,  
Building the brand value!*




## PRODUCTS CATALOGUE

[www.newbeat-tools.com](http://www.newbeat-tools.com)

2026

V03





*Nantong Start Tools Company Located in Nantong City, Jiangsu Province which is next to Shanghai City.*

*It takes only one and half hours from our company to Shanghai Pudong International Air Port.*

*Our company is a professional power tools suppliers engaged in POWER TOOLS, POWER TOOLS SPARE PARTS and ACCESSORIES exporting business for more than 13 years.*

*In this 13 years, Nantong Start Tools Company has grown to be one of the strongest power tools after-sell service supplier in the world.*

*As one of the leading power tools exporters in China, we can supply more than 1500 different models armature, field coil, switch, gear set, carbon brush, gear box, housing and so on which are suitable for world popular brand power tools like Makita, Hikoki, Bosch, Dewalt, Hilti and so on.*

*Now we have created our own brand “NEWBEAT” which is focus on providing full range of power tools for professional user in the world and enjoying high reputation for variable products and high quality.*

***Our promise is:***

*Do the best quality when the price same as others,*

*Do the best price when the quality same as others*

*Do the best service always.*

*Believe in us : believe in your genius choice for perfect future!*

*Let's Start & Never Stop!*





## 2014

**NEWBEAT** was born, focusing on high-quality power tools and spare parts

## 2015

Establish armature factory to improve parts quality control

## 2016


Expand the team and improve the department's organizational structure

### NEWBEAT brand accumulation and development...



## 2022

**NEWBEAT** has established a laboratory and introduced high-end testing instruments to more strictly control production, technical testing, quality inspection and customer service



## 2019

**NEWBEAT** participated in the Canton Fair and won the favor of customers with its complete range of products and reliable quality




## 2023

**NEWBEAT** builds a modern office, optimizes the office environment, and enhances employee care



## 2024

Established e-commerce team to develop online platforms. In the same year, upgraded the cordless production line, independently producing, developing and controlling quality



## Now

The **NEWBEAT** brand has exclusive agents in more than 30 countries, and its products are sold in more than 80 countries and regions around the world

In the future, the NEWBEAT brand will continue to launch high-quality products and high-quality services, and with the concept of win-win cooperation, bring good Chinese-made products to the world and build a world-renowned power tool brand





Experience  
**13 Years+**


Total annual output  
**2800,000 units+**



Achieve efficient and accurate production of power tools to meet diversified market needs through automation and intelligent technology, improve product quality and reduce production costs.



**QUALITY INSPECTION**



The quality inspection workshop ensures that the whole quality of the products from raw materials to finished products meets the national standards and international certification, as well as the warehouse photos.





Centralized display of the enterprise's core power tool product line, to provide customers with actual operating experience, feel the operation feel, vibration suppression and other details, simulate the real use of the scene.



Attend the China Canton Fair to show our company's style! Bulding quality, Bulding the brand value!

# We are the manufacturer !





# CONTRACTED AGENTS



 **Egypt**



**Thailand** 



 **Malaysia**



**Jordan** 



 **Peru**



**Senegal** 



 **Saudi Arabia**



**Saudi Arabia** 



 **United Arab Emirates**



**The State of Qatar** 



# CONTRACTED AGENTS



 **Brazil**



**Kosovo** 



 **Afghanistan**



**Iran** 



 **Palestine**



**Ghana** 



 **Syria** & **Lebanon** 



**Singapore** 



 **Georgia**




**Nigeria** 



# CONTRACTED AGENTS



 **Vietnam**



**Pakistan** 



 **Libya**



**Colombia** 



 **Greece**





# NEWBEAT®

## 8.0Ah

ULTRA LARGE CAPACITY

## 21700

POWER CELL

**BATTERY LOCK**

**BATTERY INDICATOR**

**UNIT CELL 21700**

Larger capacity

**INSULATING PAPER**

Blocks dust and water droplets to protect the battery

**NICKEL PLATE**

Thickened nickel sheet, higher current load capacity

**STURDY HOUSING AND BATTERY PROTECTION BRACKET**

**SOFT RUBBER**

Thickened rubber coating, drop-proof & shock-absorbent



Overload Protection



Overcharge Protection



Over-discharge Protection

# BL21808C05

Code: 60121030






# NEWBEAT®

## CORDLESS IMPACT DRILL

### 120N.m

Impact Drill 120N.m(Clutch Pause)



Building quality  
**INDUSTRIAL**  
Building brand

Accessories:



### ◆ SPECIFICATIONS

|                  |                           |
|------------------|---------------------------|
| BATTERY          | 21V/4.0Ah/15C*2           |
| CHUCK            | 1/2"(13mm)                |
| NO-LOAD SPEED    | 0-550r/min<br>0-2000r/min |
| IMPACT FREQUENCY | 0-33000ipm                |
| TQRQUE           | 120N.m                    |
| CTN              | 5PCS                      |
| Net Weight       | 1.35KGS                   |
| G.W.             | 22.5KGS                   |
| CBM/CTN          | 0.05CBM                   |

### ◆ CORE FEATURES

Pulse mode (on/off)

Auto-stop function for fastening (on/off)

Gyroscope function (on/off )

**BRUSHLESS**

## NBT-CID-210-BL120

Code: 5031010





# NEWBEAT®

## CORDLESS IMPACT WRENCH KIT SET

**BRUSHLESS**

**450N.m**



SPINDLE 1/2"

**12.7MM**



### ◆ SPECIFICATIONS

|                          |                         |
|--------------------------|-------------------------|
| BATTERY                  | 21V/4.0Ah*2             |
| SPINDLE                  | 1/2"(12.7mm)            |
| RPM                      | 0-1500/0-2200/0-2400rpm |
| TORQUE                   | 450N.m                  |
| BPM                      | 0-3500BPM               |
| Max.Disassembly Capacity | M24                     |
| CTN                      | 5PCS                    |
| Net Weight               | 1.2KGS                  |
| G.W.                     | 24.0KGS                 |
| CBM/CTN                  | 0.062CBM                |

### ◆ ACCESSORIES



# NBT-CIW-21KT17

Code: **5303001**





# NEWBEAT®

## CORDLESS IMPACT WRENCH

**BRUSHLESS**

**3 SPEED**

3 Speed control

**DVR**

Vibration Reduction  
Technology



LED Light

### ◆ SPECIFICATIONS


|                          |                        |
|--------------------------|------------------------|
| BATTERY                  | 21V/8.0Ah*1            |
| Max.Power Output         | 1200W                  |
| SPINDLE                  | 3/4"(19mm)             |
| RPM                      | 0-800/0-1200/0-1700rpm |
| TORQUE                   | 900N.m/1200N.m/1600N.m |
| Impact Frequency         | 0-2300BPM              |
| Max.Disassembly Capacity | M40                    |
| CTN                      | 3PCS                   |
| Net Weight               | 3.2KG                  |
| G.W.                     | 18.6KGS                |
| CBM/CTN                  | 0.061CBM               |

SPINDLE 3/4"

**19MM**



**1600N.m** • 5Mos



Code: 60121012



Code: 602111

# NBT-CIW-21N-1600

Code: 511024





# NEWBEAT®

## CORDLESS IMPACT WRENCH

**BRUSHLESS**

**3 SPEED**

3 Speed control

**DVR**

Vibration Reduction  
Technology



LED Light

### ◆ SPECIFICATIONS


|                          |                         |
|--------------------------|-------------------------|
| BATTERY                  | 21V/8.0Ah*1             |
| Max.Power Output         | 1400W                   |
| SPINDLE                  | 3/4"(19mm)              |
| RPM                      | 0-850/0-1250/0-1725rpm  |
| TORQUE                   | 1000N.m/1500N.m/2000N.m |
| Impact Frequency         | 0-2300BPM               |
| Max.Disassembly Capacity | M40                     |
| CTN                      | 3PCS                    |
| Net Weight               | 3.45KG                  |
| G.W.                     | 19.35KGS                |
| CBM/CTN                  | 0.061CBM                |

SPINDLE 3/4"

**19MM**



• 5Mos  
**2000N.m**



Code: 60121030

Code: 602125

# NBT-CIW-21P-2000

Code: 511023





# NEWBEAT®

## CORDLESS ANGLE GRINDER



Kickback Control



Tool-Free adjustment guard



### Drop control

Machine will shut down automatically to protect the user if built-in sensor detect kickback force

### Integrated housing

Offer more stable positioning of motor, brings more stable motor workflow

### Kickback control

Machine will shut down automatically to protect the user if built-in sensor detect a crash force

### Ergonomic handle design

With huge area of soft grip improves comfortability When handling

### Detachable metal dustproof filter

### 3-Speed electronic gear shift

Meet different working conditions

### Brushless motor 5325

High efficiency, long lifetime and less maintenance effort



### ◆ SPECIFICATIONS

|                   |            |                   |
|-------------------|------------|-------------------|
| 21V/4.0Ah/15C*2   | BATTERY    | 21V/4.0Ah/15C*2   |
| 100mm             | DIA        | 125mm             |
| 4500/6500/9500RPM | RPM        | 4500/6500/9500RPM |
| 3PCS              | CTN        | 3PCS              |
| 1.5KGS            | Net Weight | 1.6KGS            |
| 12.0KGS           | G.W.       | 13.0KGS           |
| 0.06CBM           | CBM/CTN    | 0.06CBM           |

4"

**NBT-CAG-100I**

Code: 5041003

5"

**NBT-CAG-125I**

Code: 5042001

### ◆ CORE FEATURES

1. Ergonomic handle design
2. Detachable metal dustproof filter
3. 3-Speed electronic gear shift
4. Integrated housing
5. Drop control
6. Kickback control

**BRUSHLESS**





# NEWBEAT®

## CORDLESS ANGLE GRINDER



Kickback Control



Tool-Free adjustment guard

### Ergonomic handle design

With huge area of soft grip improves comfortability When handing



### Kickback control

Machine will shut down automatically to protect the user if built-in sensor detect a crash force

### Drop control

Machine will shut down automatically to protect the user if built-in sensor detect kickback force

### Integrated housing

Offer more stable positioning of motor, brings more stable motor workflow

Detachable metal dustproof filter

### 3-Speed electronic gear shift

Meet different working conditions

### Brushless motor 5325

High efficiency, long lifetime and less maintenance effort



## ◆ SPECIFICATIONS

|            |                   |
|------------|-------------------|
| BATTERY    | 21V/4.0Ah/15C*2   |
| DIA        | 125mm             |
| RPM        | 3500/5500/8500RPM |
| CTN        | 3PCS              |
| Net Weight | 1.6KGS            |
| G.W.       | 13.5KGS           |
| CBM/CTN    | 0.06CBM           |

# 5"

## NBT-CAG-125J

Code: 5042002

## ◆ CORE FEATURES

1. Ergonomic handle design
2. Detachable metal dustproof filter
3. 3-Speed electronic gear shift
4. Integrated housing
5. Drop control
6. Kickback control

# BRUSHLESS





# NEWBEAT®

## CORDLESS DIE GRINDER

CHUCK  
**6MM**



**Brushless motor 5325**

High efficiency, long lifetime and less maintenance effort

**3-Speed delectronigear shift**

Meet different working conditions



**Detachable metal dustproof filter**

More convenient for cleaning

**Ergonomic handle design**

With huge area of soft grip improves comfortability When handing

**Intergrated housing**

Offer more stable positioning of motor,  
brings more stable motor workflow



### ◆ SPECIFICATIONS

|                        |                      |
|------------------------|----------------------|
| BATTERY                | 21V/4.0Ah/15C*2      |
| CHUCK SIZE             | 6mm                  |
| RPM                    | 13000/19000/27000rpm |
| GRINDING HEAD DIAMETER | φ25mm                |
| CTN                    | 3PCS                 |
| Net Weight             | 1.6KGS               |
| G.W.                   | 11.6KGS              |
| CBM/CTN                | 0.06CBM              |

### ◆ CORE FEATURES

- 1.Ergonomic handle design
- 2.Detachable metal dustproof filter
- 3.3-Speed electronic gear shift
- 4.Intergrated housing

## NBT-CDG-21A

Code: **540001**

**BRUSHLESS**





# NEWBEAT®

## CORDLESS RECIPRO SAW

STROKE

**25.4MM**



### Cylindrical metal appearance

Novel appearance and the structure is more reliable

### Ergonomic handle design

With huge area of soft grip improves comfortability When handing

### Built-in balancing system

Low vibration and easy on the hands to use

### Brushless motor 4815

High efficiency, long lifetime and less maintenance effort

### LED light

High light LED light remove any darkness

### AI / 3-Speed electronic gear shift

Meet different working conditions



### ◆ SPECIFICATIONS

|                      |                          |
|----------------------|--------------------------|
| BATTERY              | 21V/4.0Ah/15C*1          |
| STROKE               | 25.4mm                   |
| NO-LOAD STROKE SPEED | 0-2200/0-2500/0-3100 SPM |
| MAX CUTTING CAPACITY | METAL:130mm WOOD:255mm   |
| CTN                  | 3PCS                     |
| Net Weight           | 1.75KGS                  |
| G.W.                 | 14.1KGS                  |
| CBM/CTN              | 0.06CBM                  |

### ◆ CORE FEATURES

- 1.Cylindrical metal appearance
- 2.Ergonomic handle design
- 3.Built-in balancing system
- 4.LED light
- 5.3-Speed electronic gear shift

## NBT-CRS-21C

Code: **506003**

**BRUSHLESS**





# NEWBEAT®

## CORDLESS AIR COMPRESSOR /CORDLESS INFLATOR

Electric Bicycle



Motorcycle



Automobile



Ball



2 Lighting  
modes



Spotlight

**SOS**

SOS Light



### ◆ SPECIFICATIONS

BATTERY 21V/2.0Ah\*1

RATED POWER 120W

MAX AIR PRESSURE 120PSI

RATED INPUT CURRENT 6A(2.5bar)

FLOW 35L/min(φ25mm)

CTN 10PCS

Net Weight 0.91KGS

G.W. 15.2KGS

CBM/CTN 0.084CBM

### ◆ ACCESSORIES



QUICK CONNECT AIR NOZZLE \*3



BATTERY TERMINAL



Check tire pressure

**60S**

60 seconds to fill the air



Quick connector

**2.5**

Intelligent digital display

# NBT-CAC-21A

Code: 542001





# NEWBEAT®

## CORDLESS PACKAGING MACHINE



### ◆ SPECIFICATIONS

|             |               |
|-------------|---------------|
| BATTERY     | 21V/4.0Ah*1   |
| RATED SPEED | 4500-12000rpm |
| WIRE SPEED  | 15m/min       |
| CTN         | 6PCS          |
| Net Weight  | 2.75KGS       |
| G.W.        | 21.6KGS       |
| CBM/CTN     | 0.12CBM       |

## NBT-CPM-21A

Code: 537001

### ◆ ACCESSORIES



**BRUSHLESS**





# NEWBEAT®

## CORDLESS ROTARY HAMMER

Drill Capacity

**28MM**



2PC Chisels  
3 drill Bits



1PC Depth  
gauge



1PC  
Spanner



1PC  
Dust cover



### ◆ SPECIFICATIONS

|                       |                 |
|-----------------------|-----------------|
| BATTERY               | 21V/4.0Ah/15C*2 |
| MAX DRILLING CAPACITY | 28mm            |
| NO-LOAD SPEED         | 850r/min        |
| IMPACT SPEED          | 4000bpm         |
| CTN                   | 2PCS            |
| Net Weight            | 3.8KGS          |
| G.W.                  | 13.6KGS         |
| CBM/CTN               | 0.041CBM        |

## NBT-CRH-28A

Code: **507004**

### ◆ CORE FEATURES

3-mode function  
(hammer drilling/chiseling/drilling)

LED work light

**BRUSHLESS**





# NEWBEAT®

## CORDLESS PAINT SPRAYER

- ▶ High performance motor
- ▶ Imported batteries
- ▶ High precision drive



### ◆ SPECIFICATIONS

|                   |             |
|-------------------|-------------|
| BATTERY           | 21V/2.0Ah*2 |
| NO-LOAD SPEED     | 41000r/min  |
| MADIMUM FLOW      | 800ml/min   |
| CAPACITY          | 1200ml      |
| MAXIMUM VISCOSITY | 120din/sec  |
| SPRAY NOZZLE      | 2.2mm       |
| CTN               | 6PCS        |
| Net Weight        | 1.2KGS      |
| G.W.              | 14.0KGS     |
| CBM/CTN           | 0.068CBM    |

### ◆ ACCESSORIES



Plastic nozzles (φ1.5/1.8/2.6)



Viscosity cup



Nozzle cleaning needle



Clearing needle

## NBT-CPS-21B

Code: 520004





# NEWBEAT®

## CORDLESS CIRCULAR SAW

**185**  
mm

**21V**  
MAX  
POWER  
SYSTEM



UP TO **30%**  
MORE POWER


UP TO **10x**  
LONGER MOTOR LIFE

UP TO **60%**  
MORE RUNTIME



### ◆ SPECIFICATIONS

|                   |                 |
|-------------------|-----------------|
| BATTERY           | 21V/4.0Ah/15C*2 |
| NO-LOAD SPEED     | 3600r/min       |
| DIA               | 185mm           |
| MAX.CUTTING DEPTH | 45°43mm         |
|                   | 90°65mm         |
| CTN               | 4PCS            |
| Net Weight        | 2.87KGS         |
| G.W.              | 14.5KGS         |
| CBM/CTN           | 0.012CBM        |



**BRUSHLESS**

**7"**

# NBT-CCSM-185A

Code: 505006





# NEWBEAT®

## CORDLESS WORK LIGHT



**DETACHABLE  
HANDLE**



**ADJUSTABLE  
ANGLES**



**ADJUSTABLE  
ANGLES**

**WITHOUT BATTERY**

### ◆ SPECIFICATIONS

|            |                       |              |
|------------|-----------------------|--------------|
| 21V Li-ion | VOLTAGE               | 21V Li-ion   |
| 0-120°     | DEGREE PIVOTING ANGLE | 0-120°       |
| 2000LUMEN  | WHITE BRIGHTNESS      | 2000LUMEN    |
| 6000-6500K | COLOR TEMPERATURE     | 10000-11000K |
| 20PCS      | CTN                   | 20PCS        |
| 0.56KGS    | Net Weight            | 0.52KGS      |
| 15.2KGS    | G.W.                  | 14.4KGS      |
| 0.10CBM    | CBM/CTN               | 0.09CBM      |

**NBT-CWL-21A**

Code: 528007

**NBT-CWL-21B**

Code: 528008

**Applicable scenarios:**



OUTDOOR WORK



CAMPING



HOME USE

**Li-ion**





# NEWBEAT®

## CORDLESS NAIL GUN

- ✓ SINGLE SHOT
- ✓ CONTINUOUS SHOT

### Accessories:



T-50 U-Type Staples\*1 Box(1000pcs)



18GA/F Straight Nail \*1 Box(1000pcs)



NEWBEAT Non-woven Bag\* 1



### ◆ SPECIFICATIONS

|                         |              |
|-------------------------|--------------|
| BATTERY                 | 21V/2.0Ah*1  |
| RATED POWER             | 200W         |
| RATED SPEED             | 15000rpm     |
| NAIL SHOOTING FREQUENCY | 30 Nails/min |
| CTN                     | 8PCS         |
| Net Weight              | 1.37KGS      |
| G.W.                    | 19.8KGS      |
| CBM/CTN                 | 0.052CBM     |

## NBT-CNG-21A


Code: 543001

### ◆ CORE FEATURES

Turbocharged Design:  
Powerful! Durable! Rapid Firing!

Seamlessly switch between  
single-shot and continuous firing  
with a single button press.

Adjustable Firing Power:  
Easily customize the driving force  
to your exact needs.



Alloy Steel Nozzle



High-speed Nail Shooting



Strong Penetration



Adjustable Force






# NEWBEAT®

## CORDLESS WORK LIGHT



**Non-slip handle**  
(lift, lie, hang)



**2-level brightness**



**USB**



**WITHOUT  
BATTERY**

### ◆ SPECIFICATIONS

|                    |              |
|--------------------|--------------|
| SIZE               | 5inch(125mm) |
| ILLUMINATION ANGLE | 0-180°       |
| NUMBER OF LEDS     | 48pcs/48w    |
| VOLTAGE            | 14.2-20.7V   |
| CURRENT            | 0.5-1.1A     |
| POWER              | 11-21W       |
| CTN                | 10PCS        |
| Net Weight         | 0.82KGS      |
| G.W.               | 10.0KGS      |
| CBM/CTN            | 0.83CBM      |

### ◆ CORE FEATURES

portable, lay-flat and hangable

2 USB output ports

Non-slip grip handle

# NBT-CWL-21C

Code: **528016**





# NEWBEAT®

## MINI NAILER



### Accessories:



### ◆ SPECIFICATIONS

|            |          |
|------------|----------|
| LENGTH     | 330mm    |
| SHANK DIA. | 7.3mm    |
| MAX. STEEL | 5 mm     |
| CTN        | 20PCS    |
| Net Weight | 0.54KGS  |
| G.W.       | 18.15KGS |
| CBM/CTN    | 0.079CBM |

## NBT-MN-7301

Code: 705001

### ◆ CORE FEATURES

Concrete Applicable

Triple Noise Reduction

3-Level Power Adjustment

Dust-Free Operation





# NEWBEAT®

## CORDLESS JIG SAW



### Accessories:



1pc blade for wood




1pc blade for metal



1pc parallel guide



2pcs of guide locking screws



1pc hex key



1pc Dust Adaptor



### ◆ SPECIFICATIONS

|                  |                 |
|------------------|-----------------|
| BATTERY          | 21V/4.0Ah/10C*2 |
| STROKE SPEED     | 800-3200r/min   |
| STROKE LENGTH    | 26mm            |
| CUTTING CAPACITY | wood:100mm      |
|                  | alumin:12mm     |
|                  | steel:6mm       |
| CTN              | 5PCS            |
| Net Weight       | 1.83KGS         |
| G.W.             | 22.5KGS         |
| CBM/CTN          | 0.066CBM        |

## NBT-CJS-100A

Code: 516001

### ◆ CORE FEATURES

4-stage orbital action:  
0-straight cut, 1-small curve cut,  
2-medium curve cut,  
3-large curve cut

Integrated design:  
with dust port, quick assembly and  
disassembly

Function switch:  
0-dust suction, 1-dust blowing

**BRUSHLESS**





# NEWBEAT®

## CORDLESS SCREWDRIVER KIT SET



### ◆ SPECIFICATIONS

|               |              |
|---------------|--------------|
| Voltage       | 3.6V         |
| BATTERY       | 1500mAh*1    |
| Chuck Size    | 1/4"(6.35mm) |
| Max torque    | 3.5N.m       |
| No-Load Speed | 180RPM       |
| Charging time | 1-3 hours    |
| CTN           | 20PCS        |
| Net Weight    | 0.29KG       |
| G.W.          | 12KGS        |
| CBM/CTN       | 0.038CBM     |



3.6V 1.5A



180RPM



TORQUE  
3.5N.m



1/4"  
6.35mm



MAGNETIC  
ADSORPTION



TILT ANGLE  
ADJUSTABLE

# NBT-CSD-3.6AT

Code: 5014011





# NEWBEAT®

## CORDLESS PAINT SPRAYER



### ◆ SPECIFICATIONS

|            |           |
|------------|-----------|
| BATTERY    | 2000mAh*1 |
| CAPACITY   | 1000mL    |
| CTN        | 20PCS     |
| Net Weight | 0.33KGS   |
| G.W.       | 10.0KGS   |
| CBM/CTN    | 0.082CBM  |

### ◆ CORE FEATURES

1. Designed for film application: water flows out when pressed, and stops when released.

2. 360° water spray for a wider range of usage scenarios.

3. Delivers approximately 25 bottles (25L) of water on a full charge.

# NBT-CPS-5A


Code: 520003





# NEWBEART®

## CORDLESS FAN



 **WITHOUT BATTERY**

### ◆ SPECIFICATIONS

|                      |                                        |
|----------------------|----------------------------------------|
| FAN SPEED            | Gear 1: 2300r/min<br>Gear 2: 2500r/min |
| WIND SPEED           | Gear 1: 7.8m/s<br>Gear 2: 17.2m/s      |
| AIR DEFLECTION ANGLE | 90°-180°                               |
| DIAMETER             | 189mm                                  |
| CTN                  | 8PCS                                   |
| Net Weight           | 816g                                   |
| G.W.                 | 21.2KGS                                |
| CBM/CTN              | 0.052CBM                               |



**TILT ANGLE ADJUSTABLE**

# NBT-CF-21A

Code: **518005**





# NEWBEAT®

## ELECTRIC PLANER



Dust collection equipment can be connected,  
Keep your workplace tidy

Smooth and precise depth adjustment  
Planing depth adjustment

Can provide more precise planing  
depth and easy-to-read scale



Hard aluminum die-cast side cover,  
Enhance the durability of the support  
part of the cutter shaft

Ergonomically designed soft rubberized handle

Provide more control and comfort  
At the same time, the fatigue of the hands is greatly reduced



Sharpenable Blades,  
Long Lasting



# 1200W




Max. Planing depth



### ◆ SPECIFICATIONS

|                      |            |
|----------------------|------------|
| Rated voltage        | 220-240V   |
| Rated frequency      | 50/60Hz    |
| Rated Input power    | 1200W      |
| No-load speed        | 16000r/min |
| Max. Planing width   | 110mm      |
| Max. Planing depth   | 3mm        |
| Max. Rabbeting depth | 14mm       |
| CTN                  | 2PCS       |
| Net Weight           | 4.5KGS     |
| G.W.                 | 11.8KGS    |
| CBM/CTN              | 0.035CBM   |



Code: 208013



Inverted stand (Optional)

Code: 140003

# NBT-EP-110A

Code: 208013





# NEWBEAT®

## JIG SAW

### 450W



#### ◆ SPECIFICATIONS

|                   |                                 |
|-------------------|---------------------------------|
| Voltage           | 220-240V                        |
| Frequency         | 50/60Hz                         |
| Rated input power | 450W                            |
| No-load strokes   | 500-2900/min                    |
| Cutting capacity  | Wood:55mm Alumin:12mm Steel:6mm |
| CTN               | 5PCS                            |
| Net Weight        | 1.6KGS                          |
| G.W.              | 10.0KGS                         |
| CBM/CTN           | 0.025CBM                        |

#### ◆ ACCESSORIES



Blade for metal 1pc



Blade for wood 1pc



Dust suction hose 1pc



Carbon brushes 1 Pair



L-type hex key wrench 1 pc

# NBT-JG-55A

Code: 227009






# NEWBEAT®

## ANGLE GRINDER



# 3200W



**CONTROL BOARD SET**

Code: 607067

**MOTOR SET**

Code: 138024



**BRUSHLESS  
MOTOR**

### ◆ SPECIFICATIONS

|            |           |
|------------|-----------|
| WATT       | 3200W     |
| RPM        | 6600r/min |
| DIA        | 230mm     |
| CTN        | 2PCS      |
| Net Weight | 5.5KGS    |
| G.W.       | 15.25KGS  |
| CBM/CTN    | 0.038CBM  |

### ◆ CORE FEATURES



**BRUSHLESS MOTOR**  
More Power Longer Life



**INDUSTRIAL TYPE**  
Built for Heavy Duty Applications



**HIGH EFFICIENCY**  
Stable Performance and Precise Cutting



**OVERHEAT PROTECTION**  
Enhanced Motor Durability



**DURABLE CONSTRUCTION**  
Rugged Design for Long Service Life

# NBT-AG-230G-BL

Code: 2025002





# NEWBEAT®

## ANGLE GRINDER



### ◆ SPECIFICATIONS

|            |            |
|------------|------------|
| WATT       | 1010W      |
| DIA        | 125mm      |
| RPM        | 11000r/min |
| CTN        | 8PCS       |
| Net Weight | 2.2KGS     |
| G.W.       | 23.4KGS    |
| CBM/CTN    | 0.08CBM    |

## NBT-AG-125R

Code: 2020009

### ◆ CORE FEATURES

#### *High-Power Performance*

Equipped with a 1010W high-output motor and 11000RPM no-load speed, delivering strong, consistent torque for heavy-duty cutting, grinding, and polishing of hard materials (thick metal, stone, concrete).

#### *Practical Design*

125mm disc size balances working efficiency (covering medium-scale surfaces) and maneuverability (adapting to narrow spaces).

2.5kg net weight + anti-slip dual-grip (main handle+side auxiliary handle) ensures stable control during high-intensity, prolonged





# NEWBEAT®

## ROTARY HAMMER



Drill Diameter

**48MM**



### Accessories:



Tine Chisel :18x350mm 1 pc

Drill bit: 25x350mm 1 pc



Carbon Brush: 1 set



Cylinder Lubricant

Oil: 1 pc

Wrench: 1 pc

### ◆ SPECIFICATIONS

|                   |              |
|-------------------|--------------|
| RATED VOTAGE      | 220-240V     |
| FREQUENCY         | 50/60Hz      |
| RATED INPUT POWER | 1700W        |
| NO-LOAD SPEED     | 120-320rpm   |
| IMPACT-RATES      | 1200-3100bpm |
| IMPACT JOULE      | 5-15J        |
| CTN               | 1PC          |
| Net Weight        | 14.0KGS      |
| G.W.              | 16.0KGS      |
| CBM/CTN           | 0.045CBM     |

## NBT-RH-48DV

Code: 2010003

### ◆ CORE FEATURES

#### SDS Max System

Heavy-Duty Rotary Hammer Quick-Change Shank System

**Safety Clutch** for enhanced operational safety

**Soft Start** function

**Dual Mode Selection** — rotary drilling and hammering

**Anti-Vibration System** with ergonomic soft-grip handle

#### Auxiliary Handle

adjustable 360° horizontally and 180° vertically for flexible operation

#### Metal Housing & Gearbox

for superior performance and durability

**Industrial Rubber-Coated Handle** for a more secure grip

**Constant Power Function** to ensure higher efficiency

#### Electronic Speed Control

to meet various application requirements

**Chiseling Angle Adjustment** via 12 locking positions

**2 FUNCTIONS**





# NEWBEAT®

## ROTARY HAMMER



Drill Diameter

**52MM**



### Accessories:

Tine Chisel :18x350mm 1 pc



Drill bit: 25x350mm 1 pc



Carbon Brush: 1 set



Oil: 1 pc

Wrench: 1 pc

### ◆ SPECIFICATIONS

**RATED VOTAGE** 220-240V

**FREQUENCY** 50/60Hz

**RATED INPUT POWER** 1900W

**NO-LOAD SPEED** 110-290rpm

**IMPACT-RATES** 950-2500bpm

**IMPACT JOULE** 8-22J

**CTN** 1PC

**Net Weight** 17.0KGS

**G.W.** 19.0KGS

**CBM/CTN** 0.045CBM

## NBT-RH-52DV

**Code: 2010004**

### ◆ CORE FEATURES

#### **SDS Max System**

Heavy-Duty Rotary Hammer Quick-Change Shank System

**Safety Clutch** for enhanced operational safety

**Soft Start** function

**Dual Mode Selection** — rotary drilling and hammering

**Anti-Vibration System** with ergonomic soft-grip handle

#### **Auxiliary Handle**

adjustable 360° horizontally and 180° vertically for flexible operation

#### **Metal Housing & Gearbox**

for superior performance and durability

**Industrial Rubber-Coated Handle** for a more secure grip

**Constant Power Function** to ensure higher efficiency

#### **Electronic Speed Control**

to meet various application requirements

**Chiseling Angle Adjustment** via 12 locking positions

## 2 FUNCTIONS



# NEWBEAT®

## ELECTRIC ROUTER

CHUCK

**8MM**



**1200W**

### ◆ SPECIFICATIONS

|            |            |
|------------|------------|
| WATT       | 1200W      |
| CHUCK SIZE | 8mm        |
| RPM        | 25000r/min |
| CTN        | 4PCS       |
| Net Weight | 3.19KGS    |
| G.W.       | 17.6KGS    |
| CBM/CTN    | 0.047CBM   |

## NBT-ER-3608C

Code: **210005**

### ◆ CORE FEATURES

1. basically meeting general operation requirements.
2. Minimal runout of the cutter head.
3. Brush holder structure ensures long service life .
4. Equipped with speed control function for use in various working environments.
5. Dust-proof switch and dust cover extend switch service life and reduce part replacement.





# NEWBEAT®

## PAINT SPRAYER

### 550W



#### ◆ SPECIFICATIONS

|                   |             |
|-------------------|-------------|
| RATED INPUT POWER | 550W        |
| NO LOAD SPEED     | 36000rpm    |
| CAPACITY          | 1200ML      |
| MAXIMUM FLOW      | 1000ml/min  |
| MAXIMUM VISCOSITY | 70-120din/s |
| NOZZLE SIZE       | 2.2mm       |
| CTN               | 6PCS        |
| Net Weight        | 1.44KGS     |
| G.W.              | 12.6KGS     |
| CBM/CTN           | 0.07CBM     |

#### ◆ ACCESSORIES



Plastic nozzles (φ1.5/1.8/2.6)



Viscosity cup



Nozzle cleaning needle



Clearing needle

## NBT-PS-550A

Code: 253004



# NEWBEAT®

## HIGH PRESSURE AIRLESS SPRAYER



Turn off the gun  
automatic stop



Intelligent digital  
display



Voice  
broadcast



Brushless  
machine



Multiple gun  
spraying



Enlarging pump  
body

**BRUSHLESS  
MOTOR**

### ◆ SPECIFICATIONS

|            |          |
|------------|----------|
| VOLTAGE    | 220-240V |
| FREQUENCY  | 50/60Hz  |
| WATT       | 3000W    |
| FLOW       | 4.5L/MIN |
| PRESSURE   | 3300PSI  |
| CTN        | 1PC      |
| Net Weight | 48KG     |
| G.W.       | 50KGS    |
| CBM/CTN    | 0.244CBM |

### ◆ ACCESSORIES

|                                  |     |
|----------------------------------|-----|
| Putty Gun 911                    | 1PC |
| Return Pipe 3900/4900(1m Length) | 1PC |
| Nozzle Model 441                 | 1PC |
| Large Ring Filter                | 1PC |
| OIL can                          | 1PC |
| Filter Head                      | 1PC |
| PTFE Tape                        | 1PC |
| Instruction Manual               | 1PC |

# NBT-AS-3045T-BL

Code: **235014**






# NEWBEAT®

## RING CUTTER MACHINE

Diameter

**410MM**



No-Adjust Blade  
With Gear

**BRUSHLESS  
MOTOR**



Accessories:



### ◆ SPECIFICATIONS

|                           |           |
|---------------------------|-----------|
| RATED VOLTAGE             | 220-240V  |
| FREQUENCY                 | 50/60Hz   |
| RATED POWER               | 4500W     |
| NO-LOAD SPEED(WITH BLADE) | 2520r/min |
| DISDIA                    | 410mm     |
| MAX DEPTH                 | 310mm     |
| CTN                       | 1PC       |
| Net Weight                | 10.9KGS   |
| G.W.                      | 13KGS     |
| CBM/CTN                   | 0.175CBM  |

### ◆ CORE FEATURES

Constant Power, Dual Protection  
(Overload & Thermal)

Self-adjusting serrated blade, high cutting  
efficiency.

Imported dustproof & waterproof bearings

Dead-angle-free blade guard,  
easy operation.

2-speed reduction,  
front cover dual bearings.

Alloy large-module 2-stage gears.

# NBT-RC-410-BL

Code: **254004**



# NEWBEAT®

## TILE CUTTER

• SPRING RETURN



**48" WITH LASER**

### ◆ SPECIFICATIONS

|                   |          |
|-------------------|----------|
| MAX CUTTING WIDTH | 1200mm   |
| CUTTING THICKNESS | 6-12mm   |
| MIN CUTTING WIDTH | 15mm     |
| CTN               | 1PC      |
| Net Weight        | 17.9KG   |
| G.W.              | 20.1KG   |
| CBM/CTN           | 0.087CBM |

### NBT-TC-1200

Code: 701007

### ◆ ACCESSORIES

**2pcs** side beam




**1pc** straightedge




**2pcs**

clamping screw




**1set**

roller assembly




**1set**

Diagonal component



**1set**

Laser components



**2pcs**

hexagonal wrench








# NEWBEAT®

## AIR NAILER (BRAD)



### Accessories:



### ◆ SPECIFICATIONS

|                        |           |
|------------------------|-----------|
| WORKING PRESSURE       | 4-8bar    |
| CAPACITY               | 100PCS    |
| NAIL LENGTH            | 10-32mm   |
| NAIL TYPE              | Brad Nail |
| INNER DIA. OF AIR PIPE | 5mm       |
| CTN                    | 20PCS     |
| Net Weight             | 0.97KGS   |
| G.W.                   | 27.3KGS   |
| CBM/CTN                | 0.0824CBM |

### ◆ CORE FEATURES

All-aluminum body, lightweight and durable.

Hard anodized magazine, sturdy and lightweight, with 100pcs large capacity.

Heat-treated air inlet connector, ultra wear-resistant.

Rubberized non-slip handle, comfortable to grip.


# NBT-AN-F32A

Code: 801015



# NEWBEAT®

## AIR NAILER (BRAD)



### Accessories:



EASY JAM RELEASE MAGAZINE

### ◆ SPECIFICATIONS

|                        |           |
|------------------------|-----------|
| WORKING PRESSURE       | 4-8bar    |
| CAPACITY               | 100PCS    |
| NAIL LENGTH            | 10-50mm   |
| NAIL TYPE              | Brad Nail |
| INNER DIA. OF AIR PIPE | 5mm       |
| CTN                    | 10PCS     |
| Net Weight             | 1.4KGS    |
| G.W.                   | 17KGS     |
| CBM/CTN                | 0.0523CBM |

### ◆ CORE FEATURES

all-aluminum body,  
lightweight and durable.

tool-free nose piece,  
for fast jam clearing and maintenance.

Aluminum alloy nail magazine 100pcs  
large capacity.

rubberized handle comfortable to hold.

# NBT-AN-F50A


Code: 801014





# NEWBEAT®

## AIR NAILER (STAPLER)



### Accessories:



### ◆ SPECIFICATIONS

|                        |          |
|------------------------|----------|
| WORKING PRESSURE       | 4-8bar   |
| CAPACITY               | 135PCS   |
| NAIL LENGTH            | 6-16mm   |
| NAIL TYPE              | Staple   |
| INNER DIA. OF AIR PIPE | 5mm      |
| CTN                    | 20PCS    |
| Net Weight             | 0.81KGS  |
| G.W.                   | 20.62KGS |
| CBM/CTN                | 0.052CBM |

### ◆ CORE FEATURES

All-aluminum body, lightweight and durable.

Hard anodized magazine, sturdy and lightweight, with 100pcs large capacity.

Heat-treated air inlet connector, ultra wear-resistant.

Rubberized non-slip handle, comfortable to grip.


# NBT-AN-8016A

Code: 801017



# NEWBEAT®


## AIR NAILER (STAPLER)



### Accessories:



oil 1pc



Piston Assembly 1pc



L-type wrench 2pcs



### ◆ SPECIFICATIONS

|                        |          |
|------------------------|----------|
| WORKING PRESSURE       | 4-8bar   |
| CAPACITY               | 100PCS   |
| NAIL LENGTH            | 6-13mm   |
| NAIL TYPE              | Staple   |
| INNER DIA. OF AIR PIPE | 5mm      |
| CTN                    | 20PCS    |
| Net Weight             | 0.85KGS  |
| G.W.                   | 21.2KGS  |
| CBM/CTN                | 0.052CBM |

### ◆ CORE FEATURES

All-aluminum body, lightweight and durable.

Hard anodized magazine, sturdy and lightweight, with 100pcs large capacity.

Heat-treated air inlet connector, ultra wear-resistant.

Rubberized non-slip handle, comfortable to grip.

Magazine locking structure for anti-pinch safety.

# NBT-AN-1013A

Code: 801016





# NEWBEAT®

## CORDLESS ANGLE GRINDER & CORDLESS IMPACT DRILL KIT SET

**BRUSHLESS**



CHUCK 1/2"

**13MM**

**50N.m**

### ◆ SPECIFICATIONS

|            |                     |
|------------|---------------------|
| BATTERY    | 21V/4.0Ah*2         |
| DIA        | 100mm/125mm         |
| RPM        | 4800/5800/8500r/min |
| Net Weight | 1.19KGS             |
| CHUCK      | 1/2"(13mm)          |
| RPM        | L 0-450 H 0-1500    |
| TORQUE     | 50N.m               |
| CTN        | 3PCS                |
| Net Weight | 0.95KGS             |
| G.W.       | 17.0KGS             |
| CBM/CTN    | 0.063CBM            |

### ◆ ACCESSORIES



**NBT-CAG-100D + NBT-CID-21D-BL**

Code: 5303011

**NBT-CAG-125D + NBT-CID-21D-BL**

Code: 5303013





# NEWBEAT®

## CORDLESS ANGLE GRINDER & CORDLESS IMPACT DRILL & CORDLESS IMPACT WRENCH KIT SET

**BRUSHLESS**

CHUCK 1/2"

**13MM**

**50N.m**

**450N.m**



### ◆ SPECIFICATIONS

|                          |                                 |
|--------------------------|---------------------------------|
| BATTERY                  | 21V/4.0Ah*2                     |
| DIA                      | 100mm/125mm                     |
| RPM                      | 4800/5800/8500r/min             |
| Net Weight               | 1.26KGS                         |
| CHUCK                    | 1/2"(13mm)                      |
| RPM                      | L 0-450 H 0-1500                |
| TORQUE                   | 50N.m                           |
| Net Weight               | 0.95KGS                         |
| SPINDLE                  | 1/2"(12.7mm)                    |
| RPM                      | L 0-1500 M 0-2200 H 0-2400r/min |
| TORQUE                   | 450N.m                          |
| BPM                      | 0-3500BPM                       |
| MAX.DISASSEMBLY CAPACITY | M24                             |
| Net Weight               | 1.2KGS                          |
| CTN                      | 3PCS                            |
| G.W./CBM/CTN             | 20.0KGS/0.063CBM                |

### ◆ ACCESSORIES



**NBT-CAG-125D + NBT-CID-21D-BL + NBT-CIW-21K**

Code: 5303012

**NBT-CAG-100D + NBT-CID-21D-BL + NBT-CIW-21K**

Code: 5303014





# NEWBEAT®

## CORDLESS MACHINE SET

**BRUSHLESS**

Drill Diameter

**22MM**



### ◆ SPECIFICATIONS

|                   |                           |
|-------------------|---------------------------|
| BATTERY           | 21V/4.0Ah*2               |
| DIA               | 125mm                     |
| RPM               | 4800/5800/8500r/min       |
| Net Weight        | 1.26KGS                   |
| DIA               | 22MM                      |
| RPM               | 0-1060r/min               |
| Net Weight        | 1.8KGS                    |
| CLAMPING CAPACITY | 1/4"(6.35mm Hex)          |
| RPM               | 0-1500/0-2200/0-3000r/min |
| TORQUE            | 270N.m                    |
| CTN               | 1PC                       |
| Net Weight        | 1.085JGS                  |
| G.W.              | 7.8KGS                    |
| CBM/CTN           | 0.026m <sup>3</sup>       |

### ◆ ACCESSORIES



**NBT-CRH-22A+NBT-CIS-21B+NBT-CAG-125D**

Code: **5303015**

|                                     |    |                        |    |
|-------------------------------------|----|------------------------|----|
| CORDLESS DRILL                      | 01 | DIE GRINDER            | 16 |
| CORDLESS IMPACT DRILL               | 03 | MARBLE CUTTER          | 17 |
| CORDLESS IMPACT WRENCH              | 06 | SLOT CUTTER            | 17 |
| CORDLESS ROTARY HAMMER              | 07 | RING CUTTER MACHINE    | 17 |
| CORDLESS IMPACT SCREWDRIVER         | 07 | SLOTING MACHINE        | 18 |
| CORDLESS RATCHET WRENCH             | 07 | ELECTRIC CIRCULAR SAW  | 18 |
| CORDLESS IMPACT DRILL BRUSHLESS     | 08 | MITER SAW              | 18 |
| CORDLESS SHEEP CLIPPERS             | 08 | CUT OF MACHINE         | 19 |
| CORDLESS RECIPROCATING SAW          | 09 | ELECTRIC CHAIN SAW     | 19 |
| CORDLESS CHAIN SAW                  | 09 | SCREW DRIVER           | 19 |
| CORDLESS ANGLE GRINDER              | 09 | ELECTRIC DRILL         | 19 |
| CORDLESS CIRCULAR SAW/MARBLE CUTTER | 10 | IMPACT DRILL           | 20 |
| CORDLESS DIGITAL SUCTION CUP        | 10 | ROTARY HAMMER          | 20 |
| CORDLESS TILE MACHINE               | 10 | DEMOLITION HAMMER      | 21 |
| CORDLESS HEAT GUN                   | 10 | ELECTRIC HEAT GUN      | 24 |
| CORDLESS BLOWER                     | 10 | ELECTRIC IMPACT WRENCH | 24 |
| LASER LEVEL                         | 11 | PIPE WELDING MACHINE   | 24 |
| LASER DISTANCE METER                | 11 | HIGH PRESSURE WASHER   | 24 |
| CORDLESS PRUNING SHEAR              | 12 | ELECTRIC MIXER         | 26 |
| CORDLESS PRESSURE WASHER GUN        | 12 | ELECTRIC VIBRATOR      | 26 |
| CORDLESS PAINT SPRAYER              | 12 | ELECTRIC POLISHER      | 26 |
| CORDLESS TRIMMER MACHINE            | 12 | ELECTRIC BLOWER        | 26 |
| BRUSHLESS WIRE PULLER MACHINE       | 12 | ELECTRIC PLANER        | 27 |
| CORDLESS GRASS CUTTING BRUSHLESS    | 12 | JIG SAW                | 27 |
| CORDLESS MIXER BRUSHLESS            | 12 | ELECTRIC TRIMMER       | 27 |
| ANGLE GRINDER                       | 13 | ELECTRIC ROUTER        | 27 |
| WATER GRINDER                       | 16 | ORBITAL SANDER         | 27 |



|                               |    |                           |    |
|-------------------------------|----|---------------------------|----|
| SHEEP CLIPPERS                | 28 | AIR COMPRESSOR(OIL LESS)  | 30 |
| PAINT SPRAYER                 | 28 | INVERTER WELDING MACHINE  | 30 |
| AUTOMOBILE AIR COMPRESSOR     | 28 | DC INVERTER MIG WELDER    | 31 |
| DIAMOND CORE DRILL            | 28 | LASER LEVEL TRIPOD        | 31 |
| PROFILE MAGNETIC DRILL        | 29 | GRINDER CHAIN SAW ADAPTOR | 31 |
| DRYWALL SANDER                | 29 | SUCTION CUP               | 32 |
| HIGH PRESSURE AIRLESS SPRAYER | 29 | TILE CUTTER               | 32 |

|  |                    |  |                 |  |                                   |  |                           |
|--|--------------------|--|-----------------|--|-----------------------------------|--|---------------------------|
|  | Spindle Screw Size |  | Hex Ø 17mm      |  | Cutting angle at 90°              |  | 3PCs drill Bits           |
|  | L/R control        |  | Hex Ø 30mm      |  | Cutting angle at 45° - 90° option |  | 2PCs Chisels 3 drill Bits |
|  | Variable Speed     |  | Hex Ø 32mm      |  | 1PC Cutting blade                 |  | SDS-Plus Ø14mm            |
|  | 2PCS Saw Blades    |  | Speed Selection |  | 1PC Cutting wheel                 |  | SDS-Max Ø18mm             |
|  | With Clutch        |  | CE Certificate  |  | Double Insulation                 |  | DVR Handle                |

# NEWBEAT

## POWER TOOLS FACTORY



PROVIDE ONE- STOP SOLUTION





## CORDLESS DRILL



No.2140128  
**NBT-CD-12A**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 25N.m                  |
| Net Weight          | 0.79KGS                |
| CTN                 | 10PCS                  |
| G.W./CBM            | 18.35KGS/0.0513CBM     |
| Max. Drill Capacity | Steel:10mm Wood:16mm   |

## CORDLESS DRILL



No.2140106  
**NBT-CD-12B**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 25N.m                  |
| Net Weight          | 0.79KGS                |
| CTN                 | 10PCS                  |
| G.W./CBM            | 18.90KGS/0.049CBM      |
| Max. Drill Capacity | Steel:10mm Wood:16mm   |

## CORDLESS DRILL



No.501002  
**NBT-CD-12C-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah/10C*2        |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 35N.m                  |
| Net Weight          | 0.74KGS                |
| CTN                 | 10PCS                  |
| G.W./CBM            | 17.85KGS/0.049CBM      |
| Max. Drill Capacity | Steel:10mm Wood:25mm   |

## CORDLESS DRILL



No.501020  
**NBT-CD-12E**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*1            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 20N.m                  |
| Net Weight          | 0.74KGS                |
| CTN                 | 15PCS                  |
| G.W./CBM            | 21.73KGS/0.042CBM      |
| Max. Drill Capacity | Steel:6mm Wood:12mm    |

## CORDLESS DRILL



No.5012005  
**NBT-CD-16.8B02-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 16.8V/2.0Ah*2          |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-500 H 0-1500 r/min |
| TORQUE              | 45N.m                  |
| Net Weight          | 0.75KGS                |
| CTN                 | 5PCS                   |
| G.W./CBM            | 19.50KGS/0.043CBM      |
| Max. Drill Capacity | Steel:10mm Wood:35mm   |

## CORDLESS DRILL



No.5012002  
**NBT-CD-16.8D-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 16.8V/2.0Ah*2          |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-450 H 0-1600 r/min |
| TORQUE              | 50N.m                  |
| Net Weight          | 0.78KGS                |
| CTN                 | 5PCS                   |
| G.W./CBM            | 19.50KGS/0.0663CBM     |
| Max. Drill Capacity | Steel:10mm Wood:35mm   |

## CORDLESS DRILL



No.2140127  
**NBT-CD-21A**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 30N.m                  |
| Net Weight          | 0.817KGS               |
| CTN                 | 5PCS                   |
| G.W./CBM            | 12.40KGS/0.044CBM      |
| Max. Drill Capacity | Steel:10mm Wood:20mm   |

## CORDLESS DRILL



No.501005  
**NBT-CD-21B-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/2.0Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 45N.m                  |
| Net Weight          | 0.836KGS               |
| CTN                 | 5PCS                   |
| G.W./CBM            | 12.85KGS/0.044CBM      |
| Max. Drill Capacity | Steel:10mm Wood:30mm   |

## CORDLESS DRILL



No.501009  
**NBT-CD-21D-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/2.0Ah*2            |
| CHUCK               | 1/2"(13mm)             |
| RPM                 | L 0-450 H 0-1500 r/min |
| TORQUE              | 50N.m                  |
| Net Weight          | 0.925KGS               |
| CTN                 | 5PCS                   |
| G.W./CBM            | 13.30KGS/0.043CBM      |
| Max. Drill Capacity | Steel:13mm Wood:35mm   |



## CORDLESS DRILL



No.501022  
**NBT-CD-21G-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/2.0Ah*2            |
| CHUCK               | 1/2"(13mm)             |
| RPM                 | L 0-450 H 0-1500 r/min |
| TORQUE              | 50N.m                  |
| Net Weight          | 0.96KGS                |
| CTN                 | 5PCS                   |
| G.W./CBM            | 17.20KGS/0.040CBM      |
| Max. Drill Capacity | Steel:13mm Wood:35mm   |

## CORDLESS DRILL



No.5011004  
**NBT-CD-21G02-BL**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/2.0Ah*2            |
| CHUCK               | 1/2"(13mm)             |
| RPM                 | L 0-450 H 0-1500 r/min |
| TORQUE              | 55N.m                  |
| Net Weight          | 0.96KGS                |
| CTN                 | 5PCS                   |
| G.W./CBM            | 17.20KGS/0.0425CBM     |
| Max. Drill Capacity | Steel:13mm Wood:35mm   |

## CORDLESS DRILL KIT SET



No.2140141  
**NBT-CD-12AT**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 25N.m                  |
| Net Weight          | 0.8KGS                 |
| CTN                 | 10PCS                  |
| G.W./CBM            | 19.96KGS/0.053CBM      |
| Max. Drill Capacity | Steel:10mm Wood:16mm   |

## CORDLESS DRILL KIT SET



No.2140142  
**NBT-CD-12BT**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 25N.m                  |
| Net Weight          | 0.79KGS                |
| CTN                 | 10PCS                  |
| G.W./CBM            | 17.05KGS/0.053CBM      |
| Max. Drill Capacity | Steel:10mm Wood:16mm   |

## CORDLESS DRILL KIT SET



No.5301002  
**NBT-CD-12CT**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 12V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 35N.m                  |
| Net Weight          | 0.74KGS                |
| CTN                 | 10PCS                  |
| G.W./CBM            | 17.85KGS/0.049CBM      |
| Max. Drill Capacity | Steel:10mm Wood:25mm   |

## CORDLESS DRILL KIT SET



No.2140147  
**NBT-CD-21AT**

|                     |                        |
|---------------------|------------------------|
| BATTERY             | 21V/1.5Ah*2            |
| CHUCK               | 3/8"(10mm)             |
| RPM                 | L 0-400 H 0-1500 r/min |
| TORQUE              | 30N.m                  |
| Net Weight          | 0.8165KGS              |
| CTN                 | 5PCS                   |
| G.W./CBM            | 13.25KGS/0.043CBM      |
| Max. Drill Capacity | Steel:10mm Wood:20mm   |

## CORDLESS DRILL KIT SET



No.5303004  
**NBT-CD-21NT**

|            |                        |
|------------|------------------------|
| BATTERY    | 21V/1.5Ah*1            |
| CHUCK      | 3/8"(10mm)             |
| RPM        | L 0-400 H 0-1500 r/min |
| TORQUE     | 30N.m                  |
| Net Weight | 0.83KGS                |
| CTN        | 10PCS                  |
| G.W./CBM   | 19.3KGS/0.053CBM       |



## CORDLESS IMPACT DRILL



CHUCK  
10MM

25N.m

No.2140164  
NBT-CID-12A



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 12V/1.5Ah*2            |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 25N.m                  |
| Net Weight                                              | 0.834KGS               |
| CTN                                                     | 10PCS                  |
| G.W./CBM                                                | 18.65KGS/0.049CBM      |
| Max. Drill Capacity Steel:10mm Wood:16mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
10MM

25N.m

No.503003  
NBT-CID-12B



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 12V/1.5Ah*2            |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 25N.m                  |
| Net Weight                                              | 0.826KGS               |
| CTN                                                     | 10PCS                  |
| G.W./CBM                                                | 18.35KGS/0.049CBM      |
| Max. Drill Capacity Steel:10mm Wood:16mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



35N.m

CHUCK  
10MM

BRUSHLESS



No.503002  
NBT-CID-12C-BL



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 12V/1.5Ah/10C*2        |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 35N.m                  |
| Net Weight                                              | 0.788KGS               |
| CTN                                                     | 10PCS                  |
| G.W./CBM                                                | 18.15KGS/0.049CBM      |
| Max. Drill Capacity Steel:10mm Wood:20mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
10MM

BRUSHLESS

45N.m

No.5033003  
NBT-CID-16.8B02-BL



|                                          |                        |
|------------------------------------------|------------------------|
| BATTERY                                  | 16.8V/2.0Ah*2          |
| CHUCK                                    | 3/8"(10mm)             |
| RPM                                      | L 0-500 H 0-1500 r/min |
| TORQUE                                   | 45N.m                  |
| Net Weight                               | 0.75KGS                |
| CTN                                      | 5PCS                   |
| G.W./CBM                                 | 19.50KGS/0.043CBM      |
| Max. Drill Capacity Steel:10mm Wood:35mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
10MM

BRUSHLESS

50N.m

No.5033002  
NBT-CID-16.8D-BL



|                                          |                        |
|------------------------------------------|------------------------|
| BATTERY                                  | 16.8V/2.0Ah*2          |
| CHUCK                                    | 3/8"(10mm)             |
| RPM                                      | L 0-450 H 0-1600 r/min |
| TORQUE                                   | 50N.m                  |
| Net Weight                               | 0.8KGS                 |
| CTN                                      | 5PCS                   |
| G.W./CBM                                 | 19.50KGS/0.0663CBM     |
| Max. Drill Capacity Steel:10mm Wood:25mm |                        |

## CORDLESS IMPACT DRILL KIT SET



CHUCK  
10MM

58PCS

BRUSHLESS

45N.m

No.5032002  
NBT-CID-16.8CT-BL



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 16.8V/1.5Ah*2          |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-500 H 0-1600 r/min |
| TORQUE                                                  | 45N.m                  |
| Net Weight                                              | 0.8KGS                 |
| CTN                                                     | 10PCS                  |
| G.W./CBM                                                | 19.50KGS/0.0544CBM     |
| Max. Drill Capacity Steel:10mm Wood:25mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
10MM

30N.m

No.21403003  
NBT-CID-21A



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/1.5Ah*2            |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 30N.m                  |
| Net Weight                                              | 0.85KGS                |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 12.40KGS/0.040CBM      |
| Max. Drill Capacity Steel:10mm Wood:20mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
10MM

45N.m

BRUSHLESS

No.503001  
NBT-CID-21B-BL



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah*2            |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 45N.m                  |
| Net Weight                                              | 0.887KGS               |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 13.35KGS/0.040CBM      |
| Max. Drill Capacity Steel:10mm Wood:30mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL



CHUCK  
13MM

INDUSTRIAL

BRUSHLESS

120N.m

No.503004  
NBT-CID-21C-BL120



|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/4.0Ah/15C*2        |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-450 H 0-1500 r/min |
| TORQUE                                                  | 120N.m                 |
| Net Weight                                              | 1.7KGS                 |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 22.95KGS/0.062CBM      |
| Max. Drill Capacity Steel:13mm Wood:45mm Red brick:13mm |                        |



## CORDLESS IMPACT DRILL



No.503015  
**NBT-CID-21D-BL**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah*2            |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-450 H 0-1500 r/min |
| TORQUE                                                  | 50N.m                  |
| Net Weight                                              | 0.95KGS                |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 13.64KGS/0.040CBM      |
| Max. Drill Capacity Steel:13mm Wood:35mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL



No.503028  
**NBT-CID-21G-BL**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah*2            |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-450 H 0-1500 r/min |
| TORQUE                                                  | 50N.m                  |
| Net Weight                                              | 1.0KGS                 |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 14.58KGS/0.040CBM      |
| Max. Drill Capacity Steel:13mm Wood:35mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL



No.5031009  
**NBT-CID-21G02-BL**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah*2            |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-450 H 0-1500 r/min |
| TORQUE                                                  | 55N.m                  |
| Net Weight                                              | 1.0KGS                 |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 14.58KGS/0.0425CBM     |
| Max. Drill Capacity Steel:13mm Wood:35mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL



No.5031001  
**NBT-CID-21J-BL60**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah*2            |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-550 H 0-2000 r/min |
| TORQUE                                                  | 60N.m                  |
| Net Weight                                              | 1.05KGS                |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 17.20KGS/0.040CBM      |
| Max. Drill Capacity Steel:13mm Wood:35mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL



No.503023  
**NBT-CID-21I-BL90**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/2.0Ah/15C*2        |
| CHUCK                                                   | 1/2"(13mm)             |
| RPM                                                     | L 0-500 H 0-1800 r/min |
| TORQUE                                                  | 90N.m                  |
| Net Weight                                              | 1.23KGS                |
| CTN                                                     | 5PCS                   |
| G.W./CBM                                                | 18.20KGS/0.040CBM      |
| Max. Drill Capacity Steel:13mm Wood:38mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL



No.21403007  
**NBT-CID-21H-BL160**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/4.0Ah/15C*2        |
| CHUCK                                                   | 9/16"(13mm)            |
| RPM                                                     | L 0-500 H 0-1850 r/min |
| TORQUE                                                  | 160N.m                 |
| Net Weight                                              | 1.63KGS                |
| CTN                                                     | 3PCS                   |
| G.W./CBM                                                | 16.80KGS/0.061CBM      |
| Max. Drill Capacity Steel:13mm Wood:45mm Red brick:13mm |                        |

## CORDLESS IMPACT DRILL KIT SET



No.21403004  
**NBT-CID-21AT**

|                                                         |                        |
|---------------------------------------------------------|------------------------|
| BATTERY                                                 | 21V/1.5Ah*2            |
| CHUCK                                                   | 3/8"(10mm)             |
| RPM                                                     | L 0-400 H 0-1500 r/min |
| TORQUE                                                  | 30N.m                  |
| Net Weight                                              | 0.84KGS                |
| CTN                                                     | 3PCS                   |
| G.W./CBM                                                | 13.19KGS/0.043CBM      |
| Max. Drill Capacity Steel:10mm Wood:20mm Red brick:10mm |                        |

## CORDLESS IMPACT DRILL BRUSHLESS KIT



No.5031006  
**NBT-CID-21CT-BL120**

|                                                         |                   |
|---------------------------------------------------------|-------------------|
| BATTERY                                                 | 21V/3.0Ah*2       |
| CHUCK                                                   | 1/2"(13mm)        |
| RPM                                                     | 0-450/0-1500r/min |
| TORQUE                                                  | 120N.m            |
| Net Weight                                              | 1.73KGS           |
| CTN                                                     | 5PCS              |
| G.W./CBM                                                | 23.75KGS/0.603CBM |
| Max. Drill Capacity Steel:10mm Wood:20mm Red brick:10mm |                   |

## CORDLESS IMPACT DRILL KIT SET(40PCS)



No.21403005  
**NBT-CID-12KT**

|                                          |                        |
|------------------------------------------|------------------------|
| BATTERY                                  | 12V/1.5Ah*2            |
| CHUCK                                    | 3/8"(10mm)             |
| RPM                                      | L 0-400 H 0-1500 r/min |
| Net Weight                               | 0.8KGS                 |
| CTN                                      | 5PCS                   |
| G.W./CBM                                 | 17.76KGS/0.064CBM      |
| Max. Drill Capacity Steel:10mm Wood:16mm |                        |



## CORDLESS IMPACT DRILL KIT SET(40PCS)



CHUCK  
**10MM**

**21V**

No.21403006  
**NBT-CID-21KT**



|                    |                        |
|--------------------|------------------------|
| BATTERY            | 21V/1.5Ah*2            |
| CHUCK              | 3/8"(10mm)             |
| RPM                | L 0-400 H 0-1500 r/min |
| Net Weight         | 0.84KGS                |
| CTN                | 5PCS                   |
| G.W./CBM           | 19.70KGS/0.064CBM      |
| Max.Drill Capacity | Steel:10mm Wood:20mm   |





## CORDLESS IMPACT WRENCH



No.2140115  
**NBT-CIW-21A**

|                          |                        |
|--------------------------|------------------------|
| BATTERY                  | 21V/3.0Ah*2            |
| SPINDLE                  | 1/2"(12.7mm)           |
| RPM                      | L 0-2000 H 0-2400r/min |
| TORQUE                   | 280N.m                 |
| BPM                      | 0-3200BPM              |
| Max.Disassembly Capacity | M22                    |
| Net Weight               | 1.08KGS                |
| CTN                      | 5PCS                   |
| G.W./CBM                 | 20.25KGS/0.061CBM      |

## CORDLESS IMPACT WRENCH



No.2140105  
**NBT-CIW-21B**

|                          |                        |
|--------------------------|------------------------|
| BATTERY                  | 21V/4.0Ah*2            |
| SPINDLE                  | 1/2"(12.7mm)           |
| RPM                      | L 0-2000 H 0-2400r/min |
| TORQUE                   | 300N.m                 |
| BPM                      | 0-3200BPM              |
| Max.Disassembly Capacity | M22                    |
| Net Weight               | 1.08KGS                |
| CTN                      | 5PCS                   |
| G.W./CBM                 | 20.40KGS/0.061CBM      |

## CORDLESS IMPACT WRENCH



No.511033  
**NBT-CIW-21K**

|                          |                         |
|--------------------------|-------------------------|
| BATTERY                  | 21V/4.0Ah*2             |
| SPINDLE                  | 1/2"(12.7mm)            |
| RPM                      | 0-1500/0-2200/0-2400rpm |
| TORQUE                   | 450N.m                  |
| BPM                      | 0-3500BPM               |
| Max.Disassembly Capacity | M24                     |
| Net Weight               | 1.2KGS                  |
| CTN                      | 5PCS                    |
| G.W./CBM                 | 19.0KGS/0.062CBM        |

## CORDLESS IMPACT WRENCH



No.511007  
**NBT-CIW-21D-550**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/4.0Ah*2                  |
| SPINDLE                  | 1/2"(12.7mm)                 |
| RPM                      | L0-2000 M0-2200 H0-2400r/min |
| TORQUE                   | 550N.m                       |
| BPM                      | 0-3500BPM                    |
| Max.Disassembly Capacity | M24                          |
| Net Weight               | 1.21KGS                      |
| CTN                      | 5PCS                         |
| G.W./CBM                 | 21.30KGS/0.061CBM            |

## CORDLESS IMPACT WRENCH



No.511006  
**NBT-CIW-21E-550**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/4.0Ah*2                  |
| SPINDLE                  | 1/2"(12.7mm)                 |
| RPM                      | L0-2000 M0-2200 H0-2400r/min |
| TORQUE                   | 550N.m                       |
| BPM                      | 0-3500BPM                    |
| Max.Disassembly Capacity | M24                          |
| Net Weight               | 1.2KGS                       |
| CTN                      | 5PCS                         |
| G.W./CBM                 | 20.90KGS/0.061CBM            |

## CORDLESS IMPACT WRENCH



No.21412007  
**NBT-CIW-21I-1000**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/4.0Ah/15C*2              |
| SPINDLE                  | 1/2"(12.7mm)                 |
| RPM                      | L0-1800 M0-2000 H0-2400r/min |
| TORQUE                   | 1000N.m                      |
| BPM                      | 0-2800BPM                    |
| Max.Disassembly Capacity | M28                          |
| Net Weight               | 2.0KGS                       |
| CTN                      | 3PCS                         |
| G.W./CBM                 | 17.45KGS/0.061CBM            |

## CORDLESS IMPACT WRENCH



No.511011  
**NBT-CIW-21G-1300**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/6.0Ah/15C*2              |
| SPINDLE                  | 3/4"(19mm)                   |
| RPM                      | L0-1300 M0-1500 H0-1800r/min |
| TORQUE                   | 1300N.m                      |
| BPM                      | 0-2200BPM                    |
| Max.Disassembly Capacity | M36                          |
| Net Weight               | 3.29KGS                      |
| CTN                      | 3PCS                         |
| G.W./CBM                 | 22.75KGS/0.061CBM            |

## CORDLESS IMPACT WRENCH KIT SET



No.21412001  
**NBT-CIW-21AT**

|                          |                        |
|--------------------------|------------------------|
| BATTERY                  | 21V/3.0Ah*2            |
| SPINDLE                  | 1/2"(12.7mm)           |
| RPM                      | L 0-2000 H 0-2400r/min |
| TORQUE                   | 280N.m                 |
| BPM                      | 0-3200BPM              |
| Max.Disassembly Capacity | M22                    |
| Net Weight               | 1.07KGS                |
| CTN                      | 5PCS                   |
| G.W./CBM                 | 23KGS/0.061CBM         |

## CORDLESS IMPACT WRENCH KIT SET



No.21412002  
**NBT-CIW-21BT**

|                          |                        |
|--------------------------|------------------------|
| BATTERY                  | 21V/4.0Ah*2            |
| SPINDLE                  | 1/2"(12.7mm)           |
| RPM                      | L 0-2000 H 0-2400r/min |
| TORQUE                   | 300N.m                 |
| BPM                      | 0-3200BPM              |
| Max.Disassembly Capacity | M22                    |
| Net Weight               | 1.08KGS                |
| CTN                      | 5PCS                   |
| G.W./CBM                 | 23.40KGS/0.061CBM      |



## CORDLESS IMPACT WRENCH KIT SET



No.511008  
**NBT-CIW-21DT-550**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/4.0Ah*2                  |
| SPINDLE                  | 1/2"(12.7mm)                 |
| RPM                      | L0-2000 M0-2200 H0-2400r/min |
| TORQUE                   | 550N.m                       |
| BPM                      | 0-3500BPM                    |
| Max.Disassembly Capacity | M24                          |
| Net Weight               | 1.21KGS                      |
| CTN                      | 5PCS                         |
| G.W/CBM                  | 23.96KGS/0.062CBM            |

## CORDLESS IMPACT WRENCH KIT SET



No.511009  
**NBT-CIW-21ET-550**

|                          |                              |
|--------------------------|------------------------------|
| BATTERY                  | 21V/4.0Ah*2                  |
| SPINDLE                  | 1/2"(12.7mm)                 |
| RPM                      | L0-2000 M0-2200 H0-2400r/min |
| TORQUE                   | 550N.m                       |
| BPM                      | 0-3500BPM                    |
| Max.Disassembly Capacity | M24                          |
| Net Weight               | 1.2KGS                       |
| CTN                      | 5PCS                         |
| G.W/CBM                  | 23.96KGS/0.062CBM            |

## CORDLESS ROTARY HAMMER



No.507002  
**NBT-CRH-22A**

|            |                   |
|------------|-------------------|
| BATTERY    | 21V/4.0Ah/15C*2   |
| DIA        | 22mm              |
| RPM        | 0-1060r/min       |
| Net Weight | 1.8KGS            |
| CTN        | 3PCS              |
| G.W/CBM    | 12.74KGS/0.061CBM |

## CORDLESS ROTARY HAMMER



No.507001  
**NBT-CRH-26C**

|            |                               |
|------------|-------------------------------|
| BATTERY    | 21V/4.0Ah/15C*2               |
| DIA        | 26mm                          |
| RPM        | L 0-550 M 0-800 H 0-1200r/min |
| Net Weight | 2.35KGS                       |
| CTN        | 3PCS                          |
| G.W/CBM    | 12.74KGS/0.061CBM             |

## CORDLESS IMPACT SCREWDRIVER



No.5081001  
**NBT-CIS-16.8B**

|                   |                             |
|-------------------|-----------------------------|
| BATTERY           | 16.8V/2.0Ah*2               |
| Clamping Capacity | 6.35mm(1/4")                |
| RPM               | L0-850 M0-1700 H0-3100r/min |
| TORQUE            | 140N.m                      |
| Net Weight        | 0.75KGS                     |
| CTN               | 5PCS                        |
| G.W/CBM           | 13.46KGS/0.0642CBM          |

## CORDLESS IMPACT SCREWDRIVER KIT SET



No.508004  
**NBT-CIS-21AT-BL**

|                   |                                      |
|-------------------|--------------------------------------|
| BATTERY           | 21V/2.0Ah*2                          |
| Clamping Capacity | 1/4"(6.35mm Hex)                     |
| RPM               | L0-800 M0-1600 MH0-2400 H0-3500r/min |
| TORQUE            | 50-230N.m                            |
| Net Weight        | 0.92KGS                              |
| CTN               | 5PCS                                 |
| G.W/CBM           | 17.50KGS/0.061CBM                    |

## CORDLESS DRILL & CORDLESS IMPACT SCREWDRIVER KIT SET



No.5302000001

**NBT-CD-16.8D-BL NBT-CIS-16.8B**

|                     |                         |                           |
|---------------------|-------------------------|---------------------------|
| 16.8V/2.0Ahx2       | BATTERY                 | 16.8V/2.0Ah*2             |
| 3/8"(10mm)          | Chuck/Clamping Capacity | 6.35mm(1/4")              |
| L0-450 H0-1600r/min | RPM                     | 0-1200/0-2500/0-3500r/min |
| 50N.m               | TORQUE                  | 35/110/130N.m             |
| 0.85KGS             | Net Weight              | 0.75KGS                   |
| 5PCS                | CTN                     | 5PCS                      |
| 19.50KGS/0.0425CBM  | G.W/CBM                 | 16.85KGS/0.065CBM         |

## CORDLESS DRILL & CORDLESS IMPACT SCREWDRIVER KIT SET



No.5303000001

**NBT-CD-21B-BL NBT-CIS-21A-BL**

|                   |                         |                           |
|-------------------|-------------------------|---------------------------|
| 21V/2.0Ahx2       | BATTERY                 | 21V/2.0Ah*2               |
| 3/8"(10mm)        | Chuck/Clamping Capacity | 1/4"(6.35mm Hex)          |
| 0-400/0-1500r/min | RPM                     | 0-1200/0-2500/0-3500r/min |
| 45N.m             | TORQUE                  | 50-230N.m                 |
| 0.85KGS           | Net Weight              | 0.9KGS                    |
| 5PCS              | CTN                     | 5PCS                      |
| 21.55KGS/0.065CBM | G.W/CBM                 | 21.55KGS/0.065CBM         |

## CORDLESS RATCHET WRENCH



No.511022  
**NBT-CRW-21A-BL**

|                    |                  |
|--------------------|------------------|
| BATTERY            | 21V/2.0Ah*2      |
| SPINDLE            | 1/2"(12.7mm)     |
| RPM                | 0-250r/min       |
| MAX Torque         | 100N.m           |
| Max Reverse Torque | 160N.m           |
| Net Weight         | 1.05KGS          |
| CTN                | 5PCS             |
| G.W/CBM            | 16.6KGS/0.076CBM |



## CORDLESS IMPACT DRILL BRUSHLESS

BRUSHLESS



x2 x3



No.5303005

NBT-CID-21D-BL/NBT-CAG-125D/  
NBT-CRH-26C/NBT-CIW-21A

|            |                    |
|------------|--------------------|
| BATTERY    | 21V/4.0Ah*3        |
| CTN        | 2PCS               |
| Net Weight | 1.4/1.2/2.5/1.1KGS |
| G.W.       | 16.6KGS            |
| CBM        | 0.076CBM           |

## CORDLESS SHEEP CLIPPERS

BRUSHLESS

600W



13T

No.538001

NBT-CSC-13A



|            |                    |
|------------|--------------------|
| BATTERY    | 21V/3.0Ah*2        |
| Max Power  | 600W               |
| RPM        | 2600r/min          |
| Net Weight | 1.12KGS            |
| CTN        | 5PCS               |
| G.W./CBM   | 19.85KGS/0.0655CBM |



# NEWBEAT®





## CORDLESS RECIPROCATING SAW

BRUSHLESS

LENGTH  
**14.5MM**



No.21406002  
**NBT-CRS-21B-BL**



|               |                   |
|---------------|-------------------|
| BATTERY       | 21V/2.0Ah*2       |
| STROKE LENGTH | 14.5mm            |
| RPM           | 0-3500r/min       |
| Net Weight    | 1.17KGS           |
| CTN           | 5PCS              |
| G.W./CBM      | 17.20KGS/0.061CBM |

## CORDLESS CHAIN SAW

BRUSHLESS

Max Cutting Dia  
**150MM**

No.512008  
**NBT-CCS-6A-BL**



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 21V/2.0Ah*2       |
| LENGTH          | 150mm             |
| MAX CUTTING DIA | 150mm             |
| SPEED           | 8m/s              |
| Net Weight      | 1.0KGS            |
| CTN             | 4PCS              |
| G.W./CBM        | 17.55KGS/0.049CBM |

## CORDLESS CHAIN SAW

Max Cutting Dia  
**150MM**

No.512012  
**NBT-CCS-6B**



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 21V/1.5Ah*2       |
| LENGTH          | 150mm             |
| MAX CUTTING DIA | 150mm             |
| SPEED           | 6m/s              |
| Net Weight      | 0.84KGS           |
| CTN             | 12PCS             |
| G.W./CBM        | 23.55KGS/0.085CBM |

## CORDLESS CHAIN SAW

BRUSHLESS

Max Cutting Dia  
**190MM**

The Shear can be use  
with extension bar  
( Extension bar sold  
separately )



No.606121

No.512005  
**NBT-CCS-8A-BL**



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 21V/2.0Ah*2       |
| LENGTH          | 203mm             |
| MAX CUTTING DIA | 190mm             |
| SPEED           | 8m/s              |
| Net Weight      | 1.18KGS           |
| CTN             | 4PCS              |
| G.W./CBM        | 14.65KGS/0.073CBM |

## CORDLESS CHAIN SAW

BRUSHLESS

Max Cutting Dia  
**240MM**

No.512010  
**NBT-CCS-12B-BL**



|                 |                 |
|-----------------|-----------------|
| BATTERY         | 21V/4.0Ah/10C*2 |
| LENGTH          | 305mm           |
| MAX CUTTING DIA | 240mm           |
| RPM             | 6200r/min       |
| SPEED           | 8.11m/s         |
| Net Weight      | 1.58KGS         |
| CTN             | 4PCS            |
| G.W./CBM        | 21KGS/0.044CBM  |

## CORDLESS CHAIN SAW

BRUSHLESS

Max Cutting Dia  
**405MM**

**21V+21V**  
LITHIUM-ION



No.221002  
**NBT-CCS-16A**



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 42V/4.0Ah/15C*2   |
| MAX CUTTING DIA | 405mm             |
| SPEED           | 14m/s             |
| Net Weight      | 2.8KGS            |
| CTN             | 2PCS              |
| G.W./CBM        | 13.95KGS/0.053CBM |

## CORDLESS ANGLE GRINDER

BRUSHLESS

3 SPEEDS



4"

No.504002  
**NBT-CAG-100D**

5"

No.504001  
**NBT-CAG-125D**

|                     |            |                     |
|---------------------|------------|---------------------|
| 21V/4.0Ah*2         | BATTERY    | 21V/4.0Ah*2         |
| 100mm               | DIA        | 125mm               |
| 4800/5800/8500r/min | RPM        | 4800/5800/8500r/min |
| 1.19KGS             | Net Weight | 1.26KGS             |
| 5PCS                | CTN        | 5PCS                |
| 21.90KGS/0.065CBM   | G.W./CBM   | 21.81KGS/0.065CBM   |

## CORDLESS ANGLE GRINDER

BRUSHLESS

3 SPEEDS



4"

No.504008  
**NBT-CAG-100E**

5"

No.504009  
**NBT-CAG-125E**

|                     |            |                     |
|---------------------|------------|---------------------|
| 21V/4.0Ah*2         | BATTERY    | 21V/4.0Ah*2         |
| 100mm               | DIA        | 125mm               |
| 5500/7500/9500r/min | RPM        | 5500/7500/9500r/min |
| 1.32KGS             | Net Weight | 1.37KGS             |
| 5PCS                | CTN        | 5PCS                |
| 21.61KGS/0.065CBM   | G.W./CBM   | 21.81KGS/0.065CBM   |

## CORDLESS ANGLE GRINDER

Kickback  
Control

Tool-Free  
adjustment guard

5 SPEEDS



No.5041005  
**NBT-CAG-100K**

No.5042004  
**NBT-CAG-125K**

|                  |               |                  |
|------------------|---------------|------------------|
| 21V/4.0Ah/10C*2  | BATTERY       | 21V/4.0Ah/10C*2  |
| 100mm            | DIA           | 125mm            |
| 3500/5000/6500   | NO-LOAD SPEED | 3500/5000/6500   |
| /8500/10000r/min |               | /8500/10000r/min |
| 1.35KGS          | Net Weight    | 1.35KGS          |
| 5PCS             | CTN           | 5PCS             |
| 22.5KGS/0.07CBM  | G.W./CBM      | 22.5KGS/0.07CBM  |



## CORDLESS ANGLE GRINDER

BRUSHLESS

3 SPEEDS



4"



5"

No.504015

NBT-CAG-100H

No.504016

NBT-CAG-125H

|                     |            |                     |
|---------------------|------------|---------------------|
| 21V/4.0Ah/15C*2     | BATTERY    | 21V/4.0Ah/15C*2     |
| 100mm               | DIA        | 125mm               |
| 3000/6500/8000r/min | RPM        | 3000/6500/8000r/min |
| 1.41KGS             | Net Weight | 1.5KGS              |
| 5PCS                | CTN        | 5PCS                |
| 21.61KGS/0.065CBM   | G.W./CBM   | 21.81KGS/0.065CBM   |

## CORDLESS CIRCULAR SAW/MARBLE CUTTER

BRUSHLESS

Diameter  
150MM



No.505002

NBT-CCSM-150A



|            |                    |
|------------|--------------------|
| BATTERY    | 21V/4.0Ah/15C*2    |
| DIA        | 150 mm             |
| RPM        | 7300r/min          |
| Net Weight | 1.85KGS            |
| CTN        | 6PCS               |
| G.W./CBM   | 24.90KGS/0.1034CBM |

## CORDLESS DIGITAL SUCTION CUP



No.535001

NBT-CDSC-200



|                   |                    |
|-------------------|--------------------|
| BATTERY           | 4.2V/2000mah*1     |
| MAX. SUCTION:     | 200KGS             |
| DISCHARGE TIME:   | 2H                 |
| SUCTION DIA:      | 20CM               |
| RUBBER THICKNESS: | 14MM               |
| Net Weight        | 1.1KGS             |
| CTN               | 10PCS              |
| G.W./CBM          | 18.00KGS/0.0822CBM |

## CORDLESS TILE MACHINE



Diameter  
135MM



No.23801

NBT-CT-135



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 12V/2.0Ah*2       |
| DIA             | 135mm             |
| MAX SUCK WEIGHT | 75KGS             |
| VIBRATION RATE  | 5200-11000t/min   |
| Net Weight      | 1.11KGS           |
| CTN             | 8PCS              |
| G.W./CBM        | 15.95KGS/0.083CBM |

## CORDLESS TILE MACHINE



Diameter  
160MM



No.517010

NBT-CT-160



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 12V/2.0Ah*2       |
| DIA             | 160mm             |
| MAX SUCK WEIGHT | 70KGS             |
| VIBRATION RATE  | 5000-8000t/min    |
| Net Weight      | 1.4KGS            |
| CTN             | 4PCS              |
| G.W./CBM        | 11.22KGS/0.081CBM |

## CORDLESS TILE MACHINE



Diameter  
120MM



No.517005

NBT-CT-16A



|                 |                   |
|-----------------|-------------------|
| BATTERY         | 16.8V/2.0Ah*2     |
| DIA             | 120mm             |
| MAX SUCK WEIGHT | 60KGS             |
| VIBRATION RATE  | 6000-15000t/min   |
| Net Weight      | 1.26KGS           |
| CTN             | 10PCS             |
| G.W./CBM        | 25.77KGS/0.115CBM |

## CORDLESS TILE MACHINE



Diameter  
190MM



No.517009

NBT-CT-21C



|                 |                    |
|-----------------|--------------------|
| BATTERY         | 21V/2.0Ah*2        |
| DIA             | 190mm              |
| MAX SUCK WEIGHT | 100KGS             |
| VIBRATION RATE  | 3000-8000t/min     |
| Net Weight      | 2.0KGS             |
| CTN             | 4PCS               |
| G.W./CBM        | 18.00KGS/0.0754CBM |

## CORDLESS HEAT GUN

300W



No.523002

NBT-CHG-21A



|             |                   |
|-------------|-------------------|
| BATTERY     | 21V/2.0Ah*2       |
| POWER       | 300W              |
| TEMPERATURE | 30-550°C          |
| Net Weight  | 0.68KGS           |
| CTN         | 5PCS              |
| G.W./CBM    | 14.40KGS/0.061CBM |

## CORDLESS BLOWER

2 FUNCTIONS  
Blower & Suction



No.21410002

NBT-CB-2.0A



|            |                  |
|------------|------------------|
| BATTERY    | 21V/2.0Ah*2      |
| RPM        | 0-14500r/min     |
| Net Weight | 1.02KGS          |
| CTN        | 4PCS             |
| G.W./CBM   | 6.70KGS/0.072CBM |



## CORDLESS BLOWER

BRUSHLESS



No.509002  
**NBT-CB-21A-BL**

|            |                   |
|------------|-------------------|
| BATTERY    | 21V/4.0Ah/15C*2   |
| RPM        | 0-18000r/min      |
| AIR VOLUME | 13.4m³/min        |
| Net Weight | 2.13KGS           |
| CTN        | 2PCS              |
| G.W./CBM   | 11.20KGS/0.097CBM |

## CORDLESS BLOWER

BRUSHLESS

6 SPEEDS



2 FUNCTIONS  
Blower & Suction

No.21410003  
**NBT-CB-21B-BL**

|            |                   |
|------------|-------------------|
| BATTERY    | 21V/2.0Ah*2       |
| RPM        | 0-16500r/min      |
| FLOW       | 630CFM            |
| Net Weight | 0.835KGS          |
| CTN        | 5PCS              |
| G.W./CBM   | 11.98KGS/0.063CBM |

## LASER LEVEL

TYPE-C



No.225007  
**NBT-LL-2B**

|            |                    |
|------------|--------------------|
| BATTERY    | 4V/3600mA*2        |
| LINES      | 2                  |
| LIGHT      | GREEN              |
| ACCURACY   | ±1mm/5m            |
| Net Weight | 0.85KGS            |
| CTN        | 12PCS              |
| G.W./CBM   | 20.42KGS/0.0924CBM |

## LASER LEVEL

TYPE-C



No.225003  
**NBT-LL-5A**

|            |                    |
|------------|--------------------|
| BATTERY    | 4V/5400mA*2        |
| LINES      | 5                  |
| LIGHT      | GREEN              |
| ACCURACY   | ±1mm/5m            |
| Net Weight | 0.85KGS            |
| CTN        | 10PCS              |
| G.W./CBM   | 22.30KGS/0.0948CBM |

## LASER LEVEL

TYPE-C



No.225006  
**NBT-LL-5B**

|            |                    |
|------------|--------------------|
| BATTERY    | 4V/3600mA*2        |
| LINES      | 5                  |
| LIGHT      | GREEN              |
| ACCURACY   | ±1mm/5m            |
| Net Weight | 1.15KGS            |
| CTN        | 12PCS              |
| G.W./CBM   | 22.60KGS/0.0943CBM |

## LASER LEVEL

TYPE-C



No.225004  
**NBT-LL-12A**

|            |                  |
|------------|------------------|
| BATTERY    | 4V/5400mA*2      |
| LINES      | 12               |
| LIGHT      | GREEN            |
| ACCURACY   | ±1mm/5m          |
| Net Weight | 0.58KGS          |
| CTN        | 8PCS             |
| G.W./CBM   | 19.2KGS/0.092CBM |

## LASER LEVEL

TYPE-C



No.225010  
**NBT-LL-16A**

|            |                   |
|------------|-------------------|
| BATTERY    | 4V/5400mA*2       |
| LINES      | 16                |
| LIGHT      | GREEN             |
| ACCURACY   | ±1mm/5m           |
| Net Weight | 0.6KGS            |
| CTN        | 8PCS              |
| G.W./CBM   | 19.84KGS/0.092CBM |

## LASER LEVEL

TYPE-C



No.225012  
**NBT-LL-16B**

|            |                  |
|------------|------------------|
| BATTERY    | 4V/3600mA*2      |
| LINES      | 16               |
| LIGHT      | GREEN            |
| ACCURACY   | ±1mm/5m          |
| Net Weight | 0.49KGS          |
| CTN        | 8PCS             |
| G.W./CBM   | 21.3KGS/0.126CBM |

## LASER DISTANCE METER

TYPE-C




No.532003  
**NBT-LR-40M**

|                   |                  |
|-------------------|------------------|
| MEASUREMENT RANGE | 40m              |
| ACCURACY          | ±(2mm+D*1/10000) |
| LASER GRADE       | Class II         |
| BATTERY           | 2X1.5V           |
| Net Weight        | 0.1KGS           |
| CTN               | 50PCS            |
| G.W./CBM          | 8.45KGS/0.033CBM |



## CORDLESS PRUNING SHEAR

The Shear can use with extension bar ( Extension bar sold separately )



2.7M

No.606121

No.21416001  
**NBT-CPS-30A**



|                  |                   |
|------------------|-------------------|
| BATTERY          | 21V/2.0Ah*2       |
| MAX POWER        | 800W              |
| CUTTING DIAMETER | 0-30MM            |
| WEIGHT           | 763G              |
| Net Weight       | 0.76KGS           |
| CTN              | 10PCS             |
| G.W./CBM         | 25.20KGS/0.074CBM |

## CORDLESSPRESSURE WASHER GUN

BRUSHLESS

380w



No.514001  
**NBT-CPW-21A-BL**

|                     |                 |
|---------------------|-----------------|
| BATTERY             | 21V/4.0Ah*1     |
| WATT                | 380W            |
| RATED PRESSURE      | 2.6Mpa-5Mpa     |
| PEAK PRESSURE       | 360bar          |
| WATER FLOW          | 6L/min          |
| WATER SPRAY DISTNce | 8-10m           |
| Net Weight          | 1.0KGS          |
| CTN                 | 5PCS            |
| G.W./CBM            | 25.0KGS/0.12CBM |

## CORDLESS PAINT SPRAYER



No.520002  
**NBT-CPS-21A**

|            |                  |
|------------|------------------|
| BATTERY    | 21V/2.0Ah*2      |
| LITRE      | 0.5L/MIN         |
| VOL        | 1000ML           |
| Net Weight | 0.89KGS          |
| CTN        | 6PCS             |
| G.W./CBM   | 20.0KGS/0.084CBM |

## CORDLESS TRIMMER MACHINE

BRUSHLESS



No.521001  
**NBT-CTM-3703**



|            |                     |
|------------|---------------------|
| BATTERY    | 21V/4.0Ah/15C*2     |
| RPM        | L10000 M28000 r/min |
| CHUCK      | 6mm/6.35mm          |
| Net Weight | 1.14KGS             |
| CTN        | 6PCS                |
| G.W./CBM   | 21.0KGS/0.077CBM    |

## BRUSHLESS WIRE PULLER MACHINE

BRUSHLESS

1050w



No.534001  
**NBT-BWP-21A**

|                    |                  |
|--------------------|------------------|
| BATTERY            | 21V/4.0Ah/15C*2  |
| WATT               | 1050W            |
| RPM                | 2600RPM±5%       |
| MAX PULLING FORCE  | 80KG±10%         |
| MAX PUSHING LENGTH | 28M±5%           |
| WIRE LENGTH        | 20m              |
| Net Weight         | 6.36KGS          |
| CTN                | 2PCS             |
| G.W./CBM           | 22.0KGS/0.154CBM |

## CORDLESS GRASS CUTTING

BRUSHLESS



No.519002  
**NBT-CGC-21A-BL**

|                    |                  |
|--------------------|------------------|
| BATTERY            | 21V/4.0Ah/10C*2  |
| RPM                | 3500-5500r/min   |
| CUTTING DIA        | 230mm/260mm      |
| RETRACTABLE LENGTH | 190mm            |
| Net Weight         | 2.8KGS           |
| CTN                | 4PCS             |
| G.W./CBM           | 23.0KGS/0.117CBM |

## CORDLESS GRASS CUTTING



No.519004  
**NBT-CGC-21B**

|                      |                  |
|----------------------|------------------|
| BATTERY              | 21V/1.5Ah*2      |
| NO-LOAD SPEED        | 10000r/min       |
| CUT DIAMETER         | 150mm            |
| OPERATING ROD LENGTH | 83cm             |
| Net Weight           | 1.75KGS          |
| CTN                  | 4PCS             |
| G.W./CBM             | 14.4KGS/0.079CBM |

## CORDLESS MIXER

BRUSHLESS

Diameter 120MM



ADJUSTABLE SPEED



No.539001  
**NBT-CM-21A**

|               |                               |
|---------------|-------------------------------|
| BATTERY       | 21V/4.0Ah/15C*2               |
| DIAMETER      | 120mm                         |
| SPEED         | I 250-400rpm<br>II 350-650rpm |
| MIXING VOLUME | 80litres                      |
| Net Weight    | 2.95KGS                       |
| CTN           | 2PCS                          |
| G.W./CBM      | 10.25KGS/0.055CBM             |



## ANGLE GRINDER

**850w**



**4"**



**5"**

No.202096

No.202109

**NBT-AG-E9913**

**NBT-AG-E9913(115)**

|                   |            |                   |
|-------------------|------------|-------------------|
| 850W              | WATT       | 850W              |
| 100mm             | DIA        | 125mm             |
| 10000r/min        | RPM        | 10000r/min        |
| 1.68KGS           | Net Weight | 1.74KGS           |
| 8PCS              | CTN        | 8PCS              |
| 16.78KGS/0.033CBM | G.W./CBM   | 16.78KGS/0.033CBM |

## ANGLE GRINDER

**780w**



**4"**



**5"**

No.202039

No.202078

**NBT-AG-100A**

**NBT-AG-115A**

|                   |            |                   |
|-------------------|------------|-------------------|
| 780W              | WATT       | 780W              |
| 100mm             | DIA        | 125mm             |
| 11000r/min        | RPM        | 11000r/min        |
| 1.65KGS           | Net Weight | 1.69KGS           |
| 10PCS             | CTN        | 10PCS             |
| 21.92KGS/0.048CBM | G.W./CBM   | 21.92KGS/0.048CBM |

## ANGLE GRINDER

**1000w**



**4"**



**5"**

No.202001

No.202071

**NBT-AG-100B**

**NBT-AG-115B**

|                   |            |                   |
|-------------------|------------|-------------------|
| 1000W             | WATT       | 1000W             |
| 100mm             | DIA        | 125mm             |
| 11000r/min        | RPM        | 11000r/min        |
| 2.0KGS            | Net Weight | 2.0KGS            |
| 8PCS              | CTN        | 8PCS              |
| 20.58KGS/0.038CBM | G.W./CBM   | 20.58KGS/0.038CBM |

## ANGLE GRINDER

**1000w**



**4"**



**5"**

No.202094

No.202091

**NBT-AG-100BC**

**NBT-AG-125BC**

|                   |            |                   |
|-------------------|------------|-------------------|
| 1000W             | WATT       | 1000W             |
| 100mm             | DIA        | 125mm             |
| 11000r/min        | RPM        | 11000r/min        |
| 1.9KGS            | Net Weight | 1.9KGS            |
| 8PCS              | CTN        | 8PCS              |
| 19.42KGS/0.038CBM | G.W./CBM   | 19.42KGS/0.038CBM |

## ANGLE GRINDER

**1100w**



**4"**



No.202014

**NBT-AG-100C**

|            |                   |
|------------|-------------------|
| WATT       | 1100W             |
| DIA        | 100mm             |
| RPM        | 11000r/min        |
| Net Weight | 1.9KGS            |
| CTN        | 8PCS              |
| G.W./CBM   | 19.46KGS/0.038CBM |

## ANGLE GRINDER(side switch)

**900w**



**4"**



**5"**

No.202065

No.202026

**NBT-AG-100E**

**NBT-AG-115E**

|                   |            |                   |
|-------------------|------------|-------------------|
| 900W              | WATT       | 900W              |
| 100mm             | DIA        | 125mm             |
| 13000r/min        | RPM        | 13000r/min        |
| 1.66KGS           | Net Weight | 1.66KGS           |
| 8PCS              | CTN        | 8PCS              |
| 16.74KGS/0.038CBM | G.W./CBM   | 16.74KGS/0.038CBM |

## ANGLE GRINDER(back)

**900w**



**4"**



**5"**

No.202064

**NBT-AG-100EH**

|            |                   |
|------------|-------------------|
| WATT       | 900W              |
| DIA        | 100mm             |
| RPM        | 13000r/min        |
| Net Weight | 1.4KGS            |
| CTN        | 8PCS              |
| G.W./CBM   | 17.00KGS/0.038CBM |

## ANGLE GRINDER

**800w**



No.202041

**NBT-AG-125F**

|            |                   |
|------------|-------------------|
| WATT       | 800W              |
| DIA        | 125mm             |
| RPM        | 11000r/min        |
| Net Weight | 1.63KGS           |
| CTN        | 8PCS              |
| G.W./CBM   | 21.00KGS/0.039CBM |

## ANGLE GRINDER

**1000w**



**4"**



**5"**

No.202076

**NBT-AG-100G**

No.202083

**NBT-AG-125G**

|                   |            |                   |
|-------------------|------------|-------------------|
| 1000W             | WATT       | 1000W             |
| 100mm             | DIA        | 125mm             |
| 11800r/min        | RPM        | 11800r/min        |
| 1.92KGS           | Net Weight | 1.96KGS           |
| 8PCS              | CTN        | 8PCS              |
| 20.28KGS/0.041CBM | G.W./CBM   | 20.28KGS/0.041CBM |



## ANGLE GRINDER

**1250w**



4"



5"

No.202088

**NBT-AG-100H**

No.202089

**NBT-AG-125H**

|                   |            |                   |
|-------------------|------------|-------------------|
| 1250W             | WATT       | 1250W             |
| 100mm             | DIA        | 125mm             |
| 11000r/min        | RPM        | 11000r/min        |
| 1.95KGS           | Net Weight | 1.95KGS           |
| 8PCS              | CTN        | 8PCS              |
| 20.20KGS/0.038CBM | G.W./CBM   | 20.20KGS/0.038CBM |

## ANGLE GRINDER

**950w**



4"



5"

No.202132

**NBT-AG-100I**

No.202133

**NBT-AG-125I**

|                   |            |                   |
|-------------------|------------|-------------------|
| 950W              | WATT       | 950W              |
| 100mm             | DIA        | 125mm             |
| 12000r/min        | RPM        | 12000r/min        |
| 1.8KGS            | Net Weight | 1.8KGS            |
| 10PCS             | CTN        | 10PCS             |
| 19.30KGS/0.041CBM | G.W./CBM   | 19.30KGS/0.041CBM |

## ANGLE GRINDER

**1100w**



4"



5"

No.202006

**NBT-AG-100J**

No.202007

**NBT-AG-125J**

|                    |            |                    |
|--------------------|------------|--------------------|
| 1100W              | WATT       | 1100W              |
| 100mm              | DIA        | 125mm              |
| 12000r/min         | RPM        | 12000r/min         |
| 1.88KGS            | Net Weight | 1.88KGS            |
| 8PCS               | CTN        | 8PCS               |
| 20.28KGS/0.0397CBM | G.W./CBM   | 21.28KGS/0.0397CBM |

## ANGLE GRINDER

**1500w**



BRUSHLESS MOTOR



4"



5"

No.202143

**NBT-AG-100L-BL**

No.2022001

**NBT-AG-125L-BL**

|                 |            |                 |
|-----------------|------------|-----------------|
| 1500W           | WATT       | 1500W           |
| 100mm           | DIA        | 125mm           |
| 11000r/min      | RPM        | 11000r/min      |
| 1.6KGS          | Net Weight | 1.6KGS          |
| 8PCS            | CTN        | 8PCS            |
| 21KGS/0.0454CBM | G.W./CBM   | 21KGS/0.0454CBM |

## ANGLE GRINDER

**1500w**



BRUSHLESS MOTOR

6 SPEEDS

4"



5"

No.2020010

**NBT-AG-100LS-BL**

No.2020008

**NBT-AG-125LS-BL**

|                 |            |                 |
|-----------------|------------|-----------------|
| 1500W           | WATT       | 1500W           |
| 100mm           | DIA        | 125mm           |
| 2800-11000r/min | RPM        | 2800-11000r/min |
| 1.6KGS          | Net Weight | 1.4KGS          |
| 8PCS            | CTN        | 8PCS            |
| 21KGS/0.0454CBM | G.W./CBM   | 21KGS/0.0454CBM |

## ANGLE GRINDER

**950w**



Paddle Switch

4"



5"

No.202141

**NBT-AG-100M**

No.2021002

**NBT-AG-125M**

|                 |            |                 |
|-----------------|------------|-----------------|
| 950W            | WATT       | 950W            |
| 100mm           | DIA        | 125mm           |
| 11000r/min      | RPM        | 11000r/min      |
| 1.9KGS          | Net Weight | 2.03KGS         |
| 8PCS            | CTN        | 8PCS            |
| 21KGS/0.0454CBM | G.W./CBM   | 21KGS/0.0454CBM |

## ANGLE GRINDER

**800w**



4"



5"

No.2021006

**NBT-AG-100N**

No.2020001

**NBT-AG-125N**

|                 |            |                 |
|-----------------|------------|-----------------|
| 800W            | WATT       | 800W            |
| 100mm           | DIA        | 125mm           |
| 11000r/min      | RPM        | 11000r/min      |
| 1.6KGS          | Net Weight | 1.6KGS          |
| 8PCS            | CTN        | 8PCS            |
| 20KGS/0.0454CBM | G.W./CBM   | 20KGS/0.0454CBM |

## ANGLE GRINDER

**800w**



4"



5"

No.2020003

**NBT-AG-100NC**

No.2026001

**NBT-AG-125NC**

|                 |            |                 |
|-----------------|------------|-----------------|
| 800W            | WATT       | 800W            |
| 100mm           | DIA        | 125mm           |
| 11000r/min      | RPM        | 11000r/min      |
| 1.7KGS          | Net Weight | 1.7KGS          |
| 8PCS            | CTN        | 8PCS            |
| 20KGS/0.0454CBM | G.W./CBM   | 20KGS/0.0454CBM |

## ANGLE GRINDER

**900w**



4"



No.2021007

**NBT-AG-100P**

|            |                 |
|------------|-----------------|
| WATT       | 900W            |
| DIA        | 100mm           |
| RPM        | 11000r/min      |
| Net Weight | 1.7KGS          |
| CTN        | 8PCS            |
| G.W./CBM   | 21KGS/0.0454CBM |



## ANGLE GRINDER

**900w**



**5"**

No.2026002  
**NBT-AG-125PC**



|            |                 |
|------------|-----------------|
| WATT       | 900W            |
| DIA        | 125mm           |
| RPM        | 11000r/min      |
| Net Weight | 1.77KGS         |
| CTN        | 8PCS            |
| G.W./CBM   | 20KGS/0.0454CBM |

## ANGLE GRINDER

**950w**



**5"**

No.2022004  
**NBT-AG-125Q**



|            |                    |
|------------|--------------------|
| WATT       | 950W               |
| DIA        | 125mm              |
| RPM        | 11000r/min         |
| Net Weight | 1.8KGS             |
| CTN        | 8PCS               |
| G.W./CBM   | 18.40KGS/0.0547CBM |

## ANGLE GRINDER

**950w**

**6 SPEEDS**



**4"**



**5"**

No.2020005  
**NBT-AG-100QS**

No.2022005  
**NBT-AG-125QS**

|                    |            |                    |
|--------------------|------------|--------------------|
| 950W               | WATT       | 950W               |
| 100mm              | DIA        | 125mm              |
| 3900-11000r/min    | RPM        | 3900-11000r/min    |
| 1.8KGS             | Net Weight | 1.8KGS             |
| 8PCS               | CTN        | 8PCS               |
| 18.40KGS/0.0547CBM | G.W./CBM   | 18.40KGS/0.0547CBM |

## ANGLE GRINDER

**1250w**



**5"**



**6"**

No.202013  
**NBT-AG-125B**

No.202063  
**NBT-AG-150B**

|                   |            |                   |
|-------------------|------------|-------------------|
| 1250W             | WATT       | 1250W             |
| 125mm             | DIA        | 150mm             |
| 8500r/min         | RPM        | 8500r/min         |
| 2.97KGS           | Net Weight | 2.97KGS           |
| 4PCS              | CTN        | 4PCS              |
| 15.52KGS/0.034CBM | G.W./CBM   | 15.68KGS/0.034CBM |

## ANGLE GRINDER

**1350w**



**5"**

No.202031  
**NBT-AG-125C**



|            |                   |
|------------|-------------------|
| WATT       | 1350W             |
| DIA        | 125mm             |
| RPM        | 8800r/min         |
| Net Weight | 2.9KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 16.26KGS/0.049CBM |

## ANGLE GRINDER

**1680w**



**6"**

No.202006  
**NBT-AG-150A**



|            |                   |
|------------|-------------------|
| WATT       | 1680W             |
| DIA        | 150mm             |
| RPM        | 8800r/min         |
| Net Weight | 3.2KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 17.22KGS/0.034CBM |

## ANGLE GRINDER



**1700w**

Rotate Handle 180°



**6"**



**7"**

No.202123  
**NBT-AG-150D**

No.202128  
**NBT-AG-180D**

|                    |            |                    |
|--------------------|------------|--------------------|
| 1700W              | WATT       | 1700W              |
| 150mm              | DIA        | 180mm              |
| 7400r/min          | RPM        | 7400r/min          |
| 3.65KGS            | Net Weight | 3.7KGS             |
| 4PCS               | CTN        | 4PCS               |
| 19.10KGS/0.0394CBM | G.W./CBM   | 19.50KGS/0.0394CBM |

## ANGLE GRINDER

**2000w**



**7"**



**9"**

No.202008  
**NBT-AG-180A**

No.202009  
**NBT-AG-230A**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2000W             | WATT       | 2000W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 4.7KGS            | Net Weight | 4.81KGS           |
| 2PCS              | CTN        | 2PCS              |
| 14.20KGS/0.031CBM | G.W./CBM   | 13.50KGS/0.031CBM |

## ANGLE GRINDER

**2500w**



**7"**



**9"**

No.202092  
**NBT-AG-180AL**

No.202093  
**NBT-AG-230AL**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2500W             | WATT       | 2500W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 5.45KGS           | Net Weight | 5.45KGS           |
| 2PCS              | CTN        | 2PCS              |
| 14.20KGS/0.031CBM | G.W./CBM   | 13.50KGS/0.031CBM |



## ANGLE GRINDER

**2200w**



**7"** No.202019 **NBT-AG-180B** **CE** **9"** No.202037 **NBT-AG-230B**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2200W             | WATT       | 2200W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 5.07KGS           | Net Weight | 5.09KGS           |
| 2PCS              | CTN        | 2PCS              |
| 13.66KGS/0.031CBM | G.W./CBM   | 13.67KGS/0.031CBM |

## ANGLE GRINDER

**2200w**



**7"** No.202053 **NBT-AG-180BX** **CE** **9"** No.202052 **NBT-AG-230BX**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2200W             | WATT       | 2200W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 5.06KGS           | Net Weight | 5.06KGS           |
| 2PCS              | CTN        | 2PCS              |
| 13.45KGS/0.031CBM | G.W./CBM   | 13.48KGS/0.031CBM |

## ANGLE GRINDER

**2800w**



**7"** No.202025 **NBT-AG-180C** **CE** **9"** No.202051 **NBT-AG-230C**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2800W             | WATT       | 2800W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 5.9KGS            | Net Weight | 5.9KGS            |
| 2PCS              | CTN        | 2PCS              |
| 15.30KGS/0.031CBM | G.W./CBM   | 15.30KGS/0.031CBM |

## ANGLE GRINDER



**2600w**



**7"** No.202030 **NBT-AG-180F** **CE** **9"** No.2025001 **NBT-AG-230F**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2600W             | WATT       | 2600W             |
| 180mm             | DIA        | 230mm             |
| 8500r/min         | RPM        | 6500r/min         |
| 5.9KGS            | Net Weight | 5.55KGS           |
| 2PCS              | CTN        | 2PCS              |
| 13.10KGS/0.032CBM | G.W./CBM   | 13.50KGS/0.032CBM |

## ANGLE GRINDER

**2800w**



**9"** No.202124 **NBT-AG-230D** **CE**

|                   |            |                   |
|-------------------|------------|-------------------|
| 2800W             | WATT       | 2800W             |
| 230mm             | DIA        | 230mm             |
| 6600r/min         | RPM        | 6600r/min         |
| 5.36KGS           | Net Weight | 5.36KGS           |
| 2PCS              | CTN        | 2PCS              |
| 14.30KGS/0.034CBM | G.W./CBM   | 14.30KGS/0.034CBM |

## WATER GRINDER

**2000w**



**7"** No.242002 **NBT-WG-180A**

|                  |            |                  |
|------------------|------------|------------------|
| 2000W            | WATT       | 2000W            |
| 180mm            | DIA        | 180mm            |
| 1900r/min        | RPM        | 1900r/min        |
| 5.95KGS          | Net Weight | 5.95KGS          |
| 2PCS             | CTN        | 2PCS             |
| 13.5KGS/0.032CBM | G.W./CBM   | 13.5KGS/0.032CBM |

## DIE GRINDER

**650w**

Clamp diameter  
**6.35MM**



No.218008 **NBT-DG-25A**

|                   |            |                   |
|-------------------|------------|-------------------|
| 650W              | WATT       | 650W              |
| 25MM              | DIA        | 25MM              |
| 6.35MM            | CHUCK      | 6.35MM            |
| 30000r/min        | RPM        | 30000r/min        |
| 1.51KGS           | Net Weight | 1.51KGS           |
| 8PCS              | CTN        | 8PCS              |
| 15.40KGS/0.047CBM | G.W./CBM   | 15.40KGS/0.047CBM |

## DIE GRINDER

**135w**

189  
Accessories  
pcs

6 SPEEDS

Clamp diameter  
**3.2MM**



No.218020 **NBT-DG-135AT**

|                   |            |                   |
|-------------------|------------|-------------------|
| 135W              | WATT       | 135W              |
| 3.2mm             | DIA        | 3.2mm             |
| 10000-32000r/min  | RPM        | 10000-32000r/min  |
| 1.45KGS           | Net Weight | 1.45KGS           |
| 10PCS             | CTN        | 10PCS             |
| 19.00KGS/0.077CBM | G.W./CBM   | 19.00KGS/0.077CBM |



## MARBLE CUTTER

**1200w**

Diameter  
**100/125MM**



No.203026  
**NBT-MC-110A**

90° 39mm

|            |                   |
|------------|-------------------|
| WATT       | 1200W             |
| DIA        | 110/125mm         |
| RPM        | 13000r/min        |
| Net Weight | 3.15KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 15.36KGS/0.052CBM |

## MARBLE CUTTER

**1300w**

Diameter  
**110MM**



No.203004  
**NBT-MC-110B**

90° 30mm

|            |                   |
|------------|-------------------|
| WATT       | 1300W             |
| DIA        | 110mm             |
| RPM        | 12000r/min        |
| Net Weight | 3.0KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 15.34KGS/0.052CBM |

## MARBLE CUTTER

**1450w**

Diameter  
**110MM**



No.203043  
**NBT-MC-110C**

90° 34mm

|            |                   |
|------------|-------------------|
| WATT       | 1450W             |
| DIA        | 110mm             |
| RPM        | 12500r/min        |
| Net Weight | 3.0KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 17.30KGS/0.052CBM |

## MARBLE CUTTER

**1680w**

Diameter  
**125MM**



90° 39mm

No.203018  
**NBT-MC-125A**

|            |                   |
|------------|-------------------|
| WATT       | 1680W             |
| DIA        | 125mm             |
| RPM        | 12000r/min        |
| Net Weight | 3.5KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 17.28KGS/0.052CBM |

## MARBLE CUTTER

**1680w**

Diameter  
**125MM**



45/90° 39mm

No.203003  
**NBT-MC-125AX**

|            |                   |
|------------|-------------------|
| WATT       | 1680W             |
| DIA        | 125mm             |
| RPM        | 12000r/min        |
| Net Weight | 3.57KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 17.68KGS/0.052CBM |

## MARBLE CUTTER

**1800w**

Diameter  
**125MM**



No.203035  
**NBT-MC-125C**

45/90° 39mm

|            |                   |
|------------|-------------------|
| WATT       | 1800W             |
| DIA        | 125mm             |
| RPM        | 12500r/min        |
| Net Weight | 3.5KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 16.96KGS/0.052CBM |

## MARBLE CUTTER

**1680w**

Diameter  
**150MM**



90° 49mm

No.203031  
**NBT-MC-150A**

|            |                |
|------------|----------------|
| WATT       | 1680W          |
| DIA        | 150mm          |
| RPM        | 9300r/min      |
| Net Weight | 3.6KGS         |
| CTN        | 4PCS           |
| G.W./CBM   | 18KGS/0.056CBM |

## SLOT CUTTER

**1800w**

Diameter  
**125MM**



1-6 Blades

No.203032  
**NBT-SC-125A**

90° W 26mm D 38mm

|            |                   |
|------------|-------------------|
| WATT       | 1800W             |
| DIA        | 125mm             |
| RPM        | 8200r/min         |
| Net Weight | 4.65KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 18.10KGS/0.052CBM |

## RING CUTTER MACHINE

**6000w**

Diameter  
**400MM**



BRUSHLESS  
MOTOR

No.255001  
**NBT-RC-400-BL**



|            |                   |
|------------|-------------------|
| WATT       | 6000W             |
| RPM        | 2500r/min         |
| DISDIA     | 400mm             |
| DEPTH      | 300mm             |
| Net Weight | 14.0KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 20.0KGS/0.1753CBM |



## SLOTING MACHINE

**3800w**

Diameter  
**400MM**



No.254001  
**NBT-SM-400A**

|            |                    |
|------------|--------------------|
| WATT       | 3800W              |
| RPM        | 3900r/min          |
| DIA        | 400mm              |
| DEPTH      | 160mm              |
| Net Weight | 14.0KGS            |
| CTN        | 1PCS               |
| G.W./CBM   | 20.60KGS/0.1083CBM |

## ELECTRIC CIRCULAR SAW

**1400w**

Diameter  
**185MM**



No.219012  
**NBT-CS-185A**

|            |                   |
|------------|-------------------|
| WATT       | 1400W             |
| DIA        | 185mm             |
| RPM        | 4500r/min         |
| Net Weight | 4.05KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 21.16KGS/0.070CBM |

## ELECTRIC CIRCULAR SAW

**1450w**

Diameter  
**185MM**



No.219004  
**NBT-CS-185B**

|            |                   |
|------------|-------------------|
| WATT       | 1450W             |
| DIA        | 185mm             |
| RPM        | 4500r/min         |
| Net Weight | 4.3KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 21.82KGS/0.087CBM |

## ELECTRIC CIRCULAR SAW

**1450w**

Diameter  
**185MM**



No.219016  
**NBT-CS-185C**

|            |                    |
|------------|--------------------|
| WATT       | 1450W              |
| DIA        | 185mm              |
| RPM        | 4500r/min          |
| Net Weight | 4.16KGS            |
| CTN        | 4PCS               |
| G.W./CBM   | 20.15KGS/0.0871CBM |

## ELECTRIC CIRCULAR SAW

**1400w**

Diameter  
**185MM**



No.219014  
**NBT-CS-583**

|            |                   |
|------------|-------------------|
| WATT       | 1400W             |
| DIA        | 185mm             |
| RPM        | 4700r/min         |
| Net Weight | 3.72KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 19.66KGS/0.087CBM |

## ELECTRIC CIRCULAR SAW

**2200w**

Diameter  
**235MM**



No.219005  
**NBT-CS-235A**

|            |                   |
|------------|-------------------|
| WATT       | 2200W             |
| DIA        | 235mm             |
| RPM        | 3800r/min         |
| Net Weight | 7.54KGS           |
| CTN        | 2PCS              |
| G.W./CBM   | 19.34KGS/0.077CBM |

## ELECTRIC CIRCULAR SAW

**2680w**

Diameter  
**255MM**



No.219007  
**NBT-CS-255A**

|            |                   |
|------------|-------------------|
| WATT       | 2680W             |
| DIA        | 255mm             |
| RPM        | 3800r/min         |
| Net Weight | 7.3KGS            |
| CTN        | 2PCS              |
| G.W./CBM   | 19.06KGS/0.057CBM |

## ELECTRIC CIRCULAR SAW

**2800w**

Diameter  
**305MM**



No.219008  
**NBT-CS-305A**

|            |                  |
|------------|------------------|
| WATT       | 2800W            |
| DIA        | 305mm            |
| RPM        | 3100r/min        |
| Net Weight | 9.5KGS           |
| CTN        | 2PCS             |
| G.W./CBM   | 19.0KGS/0.056CBM |

## MITER SAW

**1450w**

Diameter  
**210MM**



No.224010  
**NBT-MS-210A**

|                  |                  |
|------------------|------------------|
| WATT             | 1450W            |
| DIA              | 210mm            |
| RPM              | 5300r/min        |
| CUTTING CAPACITY | 0°X0°:120°60mm   |
|                  | 45°X0°:83°60mm   |
|                  | 0°X45°:120°34mm  |
|                  | 45°X45°:83°34mm  |
| Net Weight       | 6.1KGS           |
| CTN              | 1PCS             |
| G.W./CBM         | 7.1KGS/0.0485CBM |



## MITER SAW

**1800w**



Diameter  
**255MM**



No.224012  
**NBT-MS-255D**



|                  |                                                        |
|------------------|--------------------------------------------------------|
| WATT             | 1800W                                                  |
| DIA              | 255mm                                                  |
| RPM              | 5300r/min                                              |
| CUTTING CAPACITY | 0°X90°:70*140mm<br>0°X45°:48*135mm<br>45°X90°:70*100mm |
|                  | 45°X45°:48*98mm                                        |
| Net Weight       | 10.5KGS                                                |
| CTN              | 1PCS                                                   |
| G.W./CBM         | 14.0KGS/0.1044CBM                                      |

## MITER SAW

**1800w**

Diameter  
**255MM**



No.224008  
**NBT-MS-255E**



|                  |                                                        |
|------------------|--------------------------------------------------------|
| WATT             | 1800W                                                  |
| DIA              | 255mm                                                  |
| RPM              | 5300r/min                                              |
| CUTTING CAPACITY | 0°X90°:89*320mm<br>0°X45°:42*320mm<br>45°X90°:89*210mm |
|                  | 45°X45°:42*210mm                                       |
| Net Weight       | 13.7KGS                                                |
| CTN              | 1PCS                                                   |
| G.W./CBM         | 17.7KGS/0.1966CBM                                      |

## CUT OFF MACHINE

**3200w**

Diameter  
**355MM**



No.203025  
**NBT-CO-355B**

|            |                   |
|------------|-------------------|
| WATT       | 3200W             |
| DIA        | 355mm             |
| RPM        | 4100r/min         |
| Net Weight | 18.25KGS          |
| CTN        | 1PCS              |
| G.W./CBM   | 20.54KGS/0.098CBM |

## CUT OFF MACHINE

**2400w**

Diameter  
**355MM**



No.244002  
**NBT-CO-355C**



|            |                   |
|------------|-------------------|
| WATT       | 2400W             |
| DIA        | 355mm             |
| RPM        | 4100r/min         |
| Net Weight | 17.1KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 18.0KGS/0.0824CBM |

## CUT OFF MACHINE

**2100w**

Diameter  
**355MM**



No.244003  
**NBT-CO-355D**



|            |                   |
|------------|-------------------|
| WATT       | 2100W             |
| DIA        | 355mm             |
| RPM        | 3900r/min         |
| Net Weight | 11.0KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 12.80KGS/0.759CBM |

## CUT OFF MACHINE

**2600w**

Diameter  
**355MM**



No.244004  
**NBT-CO-355E**

|            |                  |
|------------|------------------|
| WATT       | 2600W            |
| DIA        | 355mm            |
| RPM        | 3900r/min        |
| Net Weight | 15.3KGS          |
| CTN        | 1PCS             |
| G.W./CBM   | 18.0KGS/0.823CBM |

## ELECTRIC CHAIN SAW

**1400w**

Length  
**406mm**



No.221006  
**NBT-ECS-16A**

|            |                  |
|------------|------------------|
| WATT       | 1400W            |
| LENGTH     | 406mm            |
| RPM        | 600r/min         |
| Net Weight | 4.05KGS          |
| CTN        | 4PCS             |
| G.W./CBM   | 21.44KGS/0.14CBM |

## SCREW DRIVER

**230w**

CHUCK  
**0.8-10MM**



No.247005  
**NBT-SD-10A**



|                      |                                |
|----------------------|--------------------------------|
| WATT                 | 230W                           |
| CHUCK                | 0.8-10mm                       |
| RPM                  | 0-480/0-1800r/min              |
| Net Weight           | 1.3KGS                         |
| CTN                  | 10PCS                          |
| G.W./CBM             | 15.5KGS/0.059CBM               |
| MAX WORKING CAPACITY | metal:10mm wood:25mm screw:ST6 |

## ELECTRIC DRILL

**450w**

CHUCK  
**6.5MM**



No.205079  
**NBT-ED-6.5C**

|            |                   |
|------------|-------------------|
| WATT       | 450W              |
| DIA        | 6.5mm             |
| RPM        | 0-4300r/min       |
| Net Weight | 1.3KGS            |
| CTN        | 10PCS             |
| G.W./CBM   | 16.10KGS/0.044CBM |



## ELECTRIC DRILL

**450w**

CHUCK  
**10MM**



No.205064  
**NBT-ED-10CB**



|            |                   |
|------------|-------------------|
| WATT       | 450W              |
| DIA        | 10mm              |
| RPM        | 0-3300r/min       |
| Net Weight | 1.41KGS           |
| CTN        | 10PCS             |
| G.W./CBM   | 17.32KGS/0.050CBM |

## ELECTRIC DRILL

**450w**

CHUCK  
**10MM**



No.205061  
**NBT-ED-10CS**



|            |                   |
|------------|-------------------|
| WATT       | 450W              |
| DIA        | 10mm              |
| RPM        | 0-3300r/min       |
| Net Weight | 1.38KGS           |
| CTN        | 10PCS             |
| G.W./CBM   | 17.26KGS/0.050CBM |

## ELECTRIC DRILL

**1150w**

CHUCK  
**16MM**



No.205050  
**NBT-ED-16A**

|            |                   |
|------------|-------------------|
| WATT       | 1150W             |
| DIA        | 16mm              |
| RPM        | 980r/min          |
| Net Weight | 2.88KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 17.90KGS/0.057CBM |

## ELECTRIC DRILL (With Variable Speed)

**1150w**

CHUCK  
**16MM**



No.205031  
**NBT-ED-16B**



|            |                   |
|------------|-------------------|
| WATT       | 1150W             |
| DIA        | 16mm              |
| RPM        | 0-980r/min        |
| Net Weight | 3.0KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 17.90KGS/0.057CBM |

## IMPACT DRILL

**710w**

CHUCK  
**13MM**



No.205005  
**NBT-EID-13A**



|            |                  |
|------------|------------------|
| WATT       | 710W             |
| RPM        | 0-3200r/min      |
| DIA        | 13mm             |
| BPM        | 0-51200BPM       |
| Net Weight | 1.795KGS         |
| CTN        | 5PCS             |
| G.W./CBM   | 13.0KGS/0.039CBM |

## IMPACT DRILL

**850w**

CHUCK  
**13MM**



No.205059  
**NBT-EID-13B**

|            |                   |
|------------|-------------------|
| WATT       | 850W              |
| RPM        | 0-2800r/min       |
| DIA        | 13mm              |
| BPM        | 0-44800BPM        |
| Net Weight | 2.3KGS            |
| CTN        | 5PCS              |
| G.W./CBM   | 13.74KGS/0.035CBM |

## IMPACT DRILL

**810w**

CHUCK  
**13MM**



No.205062  
**NBT-EID-13C**



|            |                   |
|------------|-------------------|
| WATT       | 810W              |
| RPM        | 0-2800r/min       |
| DIA        | 13mm              |
| BPM        | 0-48800BPM        |
| Net Weight | 1.91KGS           |
| CTN        | 5PCS              |
| G.W./CBM   | 12.30KGS/0.033CBM |

## IMPACT DRILL

**810w**

CHUCK  
**13MM**



No.205069  
**NBT-EID-13D**



|            |                   |
|------------|-------------------|
| WATT       | 810W              |
| RPM        | 0-2800r/min       |
| DIA        | 13mm              |
| BPM        | 0-48800BPM        |
| Net Weight | 1.9KGS            |
| CTN        | 5PCS              |
| G.W./CBM   | 12.14KGS/0.035CBM |

## ROTARY HAMMER

**800w**

Drill Diameter  
**26MM**



No.201050  
**NBT-RH-26A**



|            |                   |
|------------|-------------------|
| WATT       | 800W              |
| RPM        | 0-1250r/min       |
| DIA        | 26mm              |
| BPM        | 0-4900BPM         |
| Net Weight | 3.23KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 21.60KGS/0.074CBM |



## ROTARY HAMMER

**1050w**

Drill Diameter  
**26MM**



No.201039  
**NBT-RH-26C**

|            |                   |
|------------|-------------------|
| WATT       | 1050W             |
| DIA        | 26mm              |
| RPM        | 1000r/min         |
| Net Weight | 4.83KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 28.20KGS/0.070CBM |

## ROTARY HAMMER

**1050w**

Drill Diameter  
**30MM**



No.201054  
**NBT-RH-26D**

|              |                  |
|--------------|------------------|
| WATT         | 1050W            |
| RPM          | 820r/min         |
| DIA          | 30mm             |
| IMPACT JOULE | 4J               |
| Net Weight   | 4.6KGS           |
| CTN          | 3PCS             |
| G.W./CBM     | 24.5KGS/0.064CBM |

## ROTARY HAMMER

**1500w**

Drill Diameter  
**32MM**

**3 FUNCTIONS**



No.201042  
**NBT-RH-32A**

|              |                    |
|--------------|--------------------|
| WATT         | 1500W              |
| RPM          | 0-950r/min         |
| DIA          | 32mm               |
| IMPACT JOULE | 5.5J               |
| Net Weight   | 5.4KGS             |
| CTN          | 2PCS               |
| G.W./CBM     | 15.95KGS/0.0407CBM |

## ROTARY HAMMER

**1500w**

Drill Diameter  
**32MM**



No.2010002  
**NBT-RH-32C**

|                  |                  |
|------------------|------------------|
| WATT             | 1500W            |
| RPM              | 400-920r/min     |
| DIA              | 32mm             |
| MAX BPM          | 4250BPM          |
| MAX IMPACT JOULE | 5.5J             |
| Net Weight       | 5.1KGS           |
| CTN              | 2PCS             |
| G.W./CBM         | 16.0KGS/0.041CBM |

## ROTARY HAMMER

**1100w**

Drill Diameter  
**26MM**



No.201029  
**NBT-RH-2618**

|            |                   |
|------------|-------------------|
| WATT       | 1100W             |
| DIA        | 26mm              |
| RPM        | 850r/min          |
| Net Weight | 4.25KGS           |
| CTN        | 3PCS              |
| G.W./CBM   | 17.44KGS/0.054CBM |

## ROTARY HAMMER

**1600w**

Drill Diameter  
**40MM**



No.201045  
**NBT-RH-42T/(42KT)**

|              |                   |
|--------------|-------------------|
| WATT         | 1600W             |
| RPM          | 0-630r/min        |
| DIA          | 40mm              |
| IMPACT JOULE | 10J               |
| Net Weight   | 7.4KGS            |
| CTN          | 2PCS              |
| G.W./CBM     | 22.60KGS/0.055CBM |

## DEMOLITION HAMMER

**1050w**



No.204001  
**NBT-DH-17A**

|            |                   |
|------------|-------------------|
| WATT       | 1050W             |
| BPM        | 3600BPM           |
| Net Weight | 2.36KGS           |
| CTN        | 2PCS              |
| G.W./CBM   | 18.22KGS/0.040CBM |

## DEMOLITION HAMMER

**1400w**



No.204033  
**NBT-DH-17C**

|            |                |
|------------|----------------|
| WATT       | 1400W          |
| BPM        | 3600BPM        |
| Net Weight | 6.34KGS        |
| CTN        | 2PCS           |
| G.W./CBM   | 20KGS/0.045CBM |

## DEMOLITION HAMMER

**1200w**



No.204038  
**NBT-DH-17D**

|            |                   |
|------------|-------------------|
| WATT       | 1200W             |
| BPM        | 2900BPM           |
| Net Weight | 5.595KGS          |
| CTN        | 2PCS              |
| G.W./CBM   | 17.16KGS/0.044CBM |



## DEMOLITION HAMMER

**1350w**



No.204089  
**NBT-DH-17F**



|            |                   |
|------------|-------------------|
| WATT       | 1350W             |
| BPM        | 3700BPM           |
| Net Weight | 6.45KGS           |
| CTN        | 2PCS              |
| G.W./CBM   | 13.0KGS/0.0575CBM |

## DEMOLITION HAMMER

**1200w**



No.204072  
**NBT-DH-0855**



|              |                   |
|--------------|-------------------|
| WATT         | 1200W             |
| BPM          | 3900BPM           |
| IMPACT JOULE | 15J               |
| Net Weight   | 6.685KGS          |
| CTN          | 2PCS              |
| G.W./CBM     | 20.85KGS/0.045CBM |

## DEMOLITION HAMMER

**1400w**



No.204093  
**NBT-DH-0935**



|              |                   |
|--------------|-------------------|
| WATT         | 1400W             |
| BPM          | 3900BPM           |
| IMPACT JOULE | 16.8J             |
| Net Weight   | 6.0KGS            |
| CTN          | 2PCS              |
| G.W./CBM     | 19.0KGS/0.0507CBM |

## DEMOLITION HAMMER

**1400w**



No.204026  
**NBT-DH-18A**



|            |                  |
|------------|------------------|
| WATT       | 1400W            |
| BPM        | 3600BPM          |
| Net Weight | 6.46KGS          |
| CTN        | 2PCS             |
| G.W./CBM   | 21.0KGS/0.048CBM |

## DEMOLITION HAMMER

**1400w**



No.204064  
**NBT-DH-0845D**



|            |                   |
|------------|-------------------|
| WATT       | 1400W             |
| BPM        | 3800BPM           |
| Net Weight | 9.14KGS           |
| CTN        | 2PCS              |
| G.W./CBM   | 21.28KGS/0.048CBM |

## DEMOLITION HAMMER

**1300w**



No.204100  
**NBT-DH-18F**



|              |                  |
|--------------|------------------|
| WATT         | 1300W            |
| BPM          | 3600BPM          |
| IMPACT JOULE | 15J              |
| Net Weight   | 6.25KGS          |
| CTN          | 2PCS             |
| G.W./CBM     | 20.0KGS/0.063CBM |

## DEMOLITION HAMMER

**1500w**



No.204003  
**NBT-DH-18C**



|            |                   |
|------------|-------------------|
| WATT       | 1500W             |
| BPM        | 900-1890BPM       |
| Net Weight | 10.7KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 15.72KGS/0.045CBM |

## DEMOLITION HAMMER

**1500w**



No.204069  
**NBT-DH-18DJ**



|            |                  |
|------------|------------------|
| WATT       | 1500W            |
| BPM        | 50-2000BPM       |
| Net Weight | 10.26KGS         |
| CTN        | 1PCS             |
| G.W./CBM   | 17.0KGS/0.045CBM |

## DEMOLITION HAMMER

**1400w**



No.204061  
**NBT-DH-0860**



|            |                   |
|------------|-------------------|
| WATT       | 1400W             |
| BPM        | 2000BPM           |
| Net Weight | 9.3KGS            |
| CTN        | 2PCS              |
| G.W./CBM   | 29.88KGS/0.055CBM |



## DEMOLITION HAMMER

**1400w**



No.204074  
**NBT-DH-1212S**



|              |                    |
|--------------|--------------------|
| WATT         | 1400W              |
| BPM          | 2000BPM            |
| IMPACT JOULE | 25J                |
| Net Weight   | 9.36KGS            |
| CTN          | 2PCS               |
| G.W./CBM     | 29.24KGS/0.0540CBM |

## DEMOLITION HAMMER

**1240w**



No.204004  
**NBT-DH-65A**



|            |                   |
|------------|-------------------|
| WATT       | 1240W             |
| BPM        | 1400BPM           |
| Net Weight | 13.15KGS          |
| CTN        | 1PCS              |
| G.W./CBM   | 21.26KGS/0.037CBM |

## DEMOLITION HAMMER

**1500w**



No.204008  
**NBT-DH-65H**



|            |                  |
|------------|------------------|
| WATT       | 1500W            |
| BPM        | 1400BPM          |
| Net Weight | 13.6KGS          |
| CTN        | 1PCS             |
| G.W./CBM   | 22.0KGS/0.038CBM |

## DEMOLITION HAMMER

**1750w**



No.204049  
**NBT-DH-85A**



|            |                   |
|------------|-------------------|
| WATT       | 1750W             |
| BPM        | 1400BPM           |
| Net Weight | 14.1KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 21.95KGS/0.039CBM |

## DEMOLITION HAMMER

**1900w**



No.204091  
**NBT-DH-85B**



|              |                    |
|--------------|--------------------|
| WATT         | 1900W              |
| BPM          | 2000BPM            |
| IMPACT JOULE | 40J                |
| Net Weight   | 15.5KGS            |
| CTN          | 1PCS               |
| G.W./CBM     | 23.50KGS/0.0554CBM |

## DEMOLITION HAMMER

**1800w**




No.204102  
**NBT-DH-90K**



|              |                   |
|--------------|-------------------|
| WATT         | 1800W             |
| BPM          | 1900BPM           |
| IMPACT JOULE | 60J               |
| Net Weight   | 16.0KGS           |
| CTN          | 1PCS              |
| G.W./CBM     | 23.5KGS/0.0554CBM |

## DEMOLITION HAMMER

**2000w**



No.204092  
**NBT-DH-95A**



|              |                   |
|--------------|-------------------|
| WATT         | 2000W             |
| BPM          | 2100BPM           |
| IMPACT JOULE | 50J               |
| Net Weight   | 18.5KGS           |
| CTN          | 1PCS              |
| G.W./CBM     | 25.5KGS/0.0540CBM |

## DEMOLITION HAMMER

**1950w**



No.204103  
**NBT-DH-110KT**



|              |                   |
|--------------|-------------------|
| WATT         | 1950W             |
| BPM          | 2100BPM           |
| IMPACT JOULE | 65J               |
| Net Weight   | 18.5KGS           |
| CTN          | 1PCS              |
| G.W./CBM     | 25.3KGS/0.0554CBM |

## DEMOLITION HAMMER

**1400w**



No.204006  
**NBT-DH-1304**



|            |                   |
|------------|-------------------|
| WATT       | 1400W             |
| BPM        | 1450BPM           |
| Net Weight | 15.88KGS          |
| CTN        | 1PCS              |
| G.W./CBM   | 23.44KGS/0.039CBM |



## ELECTRIC HEAT GUN

**2000w**



No.231003  
**NBT-HG-2000A**



|             |                        |
|-------------|------------------------|
| WATT        | 2000W                  |
| TEMPERATURE | I 50-450°C II 60-600°C |
| AIR FLOW    | I 250L/MIN II 500L/MIN |
| Net Weight  | 0.815KGS               |
| CTN         | 5PCS                   |
| G.W./CBM    | 5.72KGS/0.044CBM       |

## ELECTRIC HEAT GUN

**2000w**

No.231004  
**NBT-HG-2000B**



|             |                                     |
|-------------|-------------------------------------|
| WATT        | 2000W                               |
| TEMPERATURE | I 60-600°C II 60-600°C III 600°C    |
| AIR FLOW    | I 250L/MIN II 500L/MIN III 500L/MIN |
| Net Weight  | 0.75KGS                             |
| CTN         | 5PCS                                |
| G.W./CBM    | 6.06KGS/0.034CBM                    |

## ELECTRIC HEAT GUN SET

**2000w**



No.231005  
**NBT-HG-2000AT**



|             |                        |
|-------------|------------------------|
| WATT        | 2000W                  |
| TEMPERATURE | I 50-450°C II 60-600°C |
| AIR FLOW    | I 250L/MIN II 500L/MIN |
| Net Weight  | 0.865KGS               |
| CTN         | 5PCS                   |
| G.W./CBM    | 10.45KGS/0.057CBM      |

## ELECTRIC IMPACT WRENCH

**800w**

Drill Diameter 3/4"  
**19MM**



No.239002  
**NBT-EIW-22C**



|                          |                  |
|--------------------------|------------------|
| WATT                     | 800W             |
| RPM                      | 1700r/min        |
| DIA                      | 3/4"(19mm)       |
| TORQUE                   | 800N.m           |
| Max.Disassembly Capacity | M24              |
| Net Weight               | 5.59KGS          |
| CTN                      | 2PCS             |
| G.W./CBM                 | 14.5KGS/0.039CBM |

## PIPE WELDING MACHINE

**800w**



No.252003  
**NBT-PWM-800**



|              |                   |
|--------------|-------------------|
| WATT         | 800W              |
| TEMPERATURE  | 0-300°C           |
| WELDING AREA | 20-32mm           |
| Net Weight   | 0.75KGS           |
| CTN          | 10PCS             |
| G.W./CBM     | 20.5KGS/0.0629CBM |

## PIPE WELDING MACHINE

**1500w**

**0-300°C**



No.252002  
**NBT-PWM-1500**



|              |                  |
|--------------|------------------|
| WATT         | 1500W            |
| TEMPERATURE  | 0-300°C          |
| WELDING AREA | 20-63mm          |
| Net Weight   | 1.28KGS          |
| CTN          | 5PCS             |
| G.W./CBM     | 24.0KGS/0.070CBM |

## HIGH PRESSURE WASHER

**1200w**



No.22609  
**NBT-HPW-600**

|                  |                  |
|------------------|------------------|
| WATT             | 1200W            |
| WORKING PRESSURE | 65BAR            |
| FLOW RATE        | 360L/H           |
| Net Weight       | 4.96KGS          |
| CTN              | 2PCS             |
| G.W./CBM         | 24.0KGS/0.049CBM |

## HIGH PRESSURE WASHER

**1400w**



No.22614  
**NBT-HPW-1000**

|                  |                   |
|------------------|-------------------|
| WATT             | 1400W             |
| WORKING PRESSURE | 80BAR             |
| FLOW RATE        | 400L/H            |
| Net Weight       | 7.95KGS           |
| CTN              | 2PCS              |
| G.W./CBM         | 22.0KGS/0.0653CBM |

## HIGH PRESSURE WASHER

**1800w**



No.22610  
**NBT-HPW-1200**

|                  |                  |
|------------------|------------------|
| WATT             | 1800W            |
| WORKING PRESSURE | 150BAR           |
| FLOW RATE        | 500L/H           |
| Net Weight       | 9.92KGS          |
| CTN              | 2PCS             |
| G.W./CBM         | 28.0KGS/0.078CBM |



## HIGH PRESSURE WASHER

**1800w**



steel wire-reinforced  
rubber tube 8m



No.22613  
**NBT-HPW-1200B**

|                  |                  |
|------------------|------------------|
| WATT             | 1800W            |
| WORKING PRESSURE | 150BAR           |
| FLOW RATE        | 500L/H           |
| Net Weight       | 10.28KGS         |
| CTN              | 2PCS             |
| G.W./CBM         | 29.4KGS/0.092CBM |

## HIGH PRESSURE WASHER

**2200w**



steel wire-reinforced  
rubber tube 8m



No.22611  
**NBT-HPW-2200**

|                  |                  |
|------------------|------------------|
| WATT             | 2200W            |
| WORKING PRESSURE | 200BAR           |
| FLOW RATE        | 588L/H           |
| Net Weight       | 28.0KGS          |
| CTN              | 1PCS             |
| G.W./CBM         | 34.0KGS/0.129CBM |



# NEWBEAT®





## ELECTRIC MIXER

**1020w**

Diameter  
**160MM**



No.206001  
**NBT-EM-160A**



|            |                   |
|------------|-------------------|
| WATT       | 1020W             |
| DIA        | 160mm             |
| RPM        | 0-800r/min        |
| Net Weight | 2.3KGS            |
| CTN        | 5PCS              |
| G.W./CBM   | 14.25KGS/0.042CBM |

## ELECTRIC MIXER

**1150w**

Diameter  
**160MM**



No.206003  
**NBT-EM-160B**



|            |                  |
|------------|------------------|
| WATT       | 1150W            |
| DIA        | 160mm            |
| RPM        | 0-950r/min       |
| Net Weight | 3.59KGS          |
| CTN        | 2PCS             |
| G.W./CBM   | 9.35KGS/0.073CBM |

## ELECTRIC MIXER

**1150w**

Diameter  
**160MM**



No.206005  
**NBT-EM-160C**




|            |                   |
|------------|-------------------|
| WATT       | 1150W             |
| DIA        | 160mm             |
| RPM        | 0-980r/min        |
| Net Weight | 3.1KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 19.54KGS/0.073CBM |

## ELECTRIC MIXER

**1150w**

Diameter  
**160MM**



No.206002  
**NBT-EM-160D**



|            |                   |
|------------|-------------------|
| WATT       | 1150W             |
| DIA        | 160mm             |
| RPM        | 0-980r/min        |
| Net Weight | 3.1KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 19.46KGS/0.072CBM |

## ELECTRIC MIXER

**1600w**

Diameter  
**140MM**



No.206007  
**NBT-EM-160F**



|            |                      |
|------------|----------------------|
| WATT       | 1600W                |
| DIA        | 140mm                |
| RPM        | 250-500/400-800r/min |
| Net Weight | 3.99KGS              |
| CTN        | 2PCS                 |
| G.W./CBM   | 12.96KGS/0.061CBM    |

## ELECTRIC MIXER

**1100w**

Diameter  
**160MM**



No.206010  
**NBT-EM-160G**



|            |                   |
|------------|-------------------|
| WATT       | 1100W             |
| DIA        | 160mm             |
| RPM        | 420-1050r/min     |
| Net Weight | 2.76KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 18.0KGS/0.0796CBM |

## ELECTRIC VIBRATOR

**820w**

Diameter  
**35MM**



No.216004  
**NBT-EV-35A**

|            |                   |
|------------|-------------------|
| WATT       | 820W              |
| DIA        | 35mm              |
| RPM        | 0-4300r/min       |
| Net Weight | 2.16KGS           |
| CTN        | 5PCS              |
| G.W./CBM   | 12.58KGS/0.039CBM |

## ELECTRIC POLISHER

**1400w**

Diameter  
**180MM**



No.220009  
**NBT-EP-180A**



|            |                    |
|------------|--------------------|
| WATT       | 1400W              |
| DIA        | 180mm              |
| RPM        | 1950-3550r/min     |
| Net Weight | 2.845KGS           |
| CTN        | 4PCS               |
| G.W./CBM   | 15.24KGS/0.0344CBM |

## ELECTRIC BLOWER

**600w**



No.217011  
**NBT-EB-30A**



|            |                   |
|------------|-------------------|
| WATT       | 600W              |
| SPEED      | 2.5m³/min         |
| RPM        | 0-18000r/min      |
| Net Weight | 1.28KGS           |
| CTN        | 8PCS              |
| G.W./CBM   | 14.36KGS/0.076CBM |



## ELECTRIC BLOWER

**550w**



No.217004  
**NBT-EB-30B**



|            |                 |
|------------|-----------------|
| WATT       | 550W            |
| SPEED      | 2.6m³/min       |
| RPM        | 0-16000r/min    |
| Net Weight | 1.06KGS         |
| CTN        | 8PCS            |
| G.W./CBM   | 9.2KGS/0.061CBM |

## ELECTRIC BLOWER

**600w**



No.217009  
**NBT-EB-40A**



|            |                   |
|------------|-------------------|
| WATT       | 600W              |
| SPEED      | 3.5m³/min         |
| RPM        | 4500-16000r/min   |
| Net Weight | 1.58KGS           |
| CTN        | 8PCS              |
| G.W./CBM   | 17.14KGS/0.073CBM |

## ELECTRIC BLOWER

**1300w**



No.217021  
**NBT-EB-70A**



|            |                   |
|------------|-------------------|
| WATT       | 1300W             |
| SPEED      | 0-12m³/min        |
| RPM        | 0-17000r/min      |
| Net Weight | 3.38KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 17.42KGS/0.123CBM |

## ELECTRIC PLANER

**570w**



No.208001  
**NBT-EP-82A**

|            |                   |
|------------|-------------------|
| WATT       | 570W              |
| DIA        | 82X1MM            |
| RPM        | 16500r/min        |
| Net Weight | 2.26KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 12.20KGS/0.058CBM |

## ELECTRIC PLANER

**750w**



No.208004  
**NBT-EP-82B**



|            |                   |
|------------|-------------------|
| WATT       | 750W              |
| DIA        | 82X1MM            |
| RPM        | 16000r/min        |
| Net Weight | 2.8KGS            |
| CTN        | 4PCS              |
| G.W./CBM   | 14.20KGS/0.058CBM |

## JIG SAW

**550w**



No.227001  
**NBT-JG-80A**



|            |             |
|------------|-------------|
| WATT       | 550W        |
| RPM        | 0-3000r/min |
| WOOD       | 80MM        |
| Net Weight | 1.9KGS      |
| CTN        | 6PCS        |
| G.W.       | 14.04KGS    |

## ELECTRIC TRIMMER

**350w**



Diameter  
**6/6.35MM**



No.212006  
**NBT-ET-3703**



No.212007  
**NBT-ET-3703C**

|                   |                        |                   |
|-------------------|------------------------|-------------------|
| 350W              | WATT                   | 500W              |
| 6/6.35mm          | Collect chuck diameter | 6/6.35mm          |
| 30000r/min        | RPM                    | 33000r/min        |
| 1.61KGS           | Net Weight             | 1.61KGS           |
| 10PCS             | CTN                    | 10PCS             |
| 24.44KGS/0.049CBM | G.W./CBM               | 24.44KGS/0.049CBM |

## ELECTRIC ROUTER

**1600w**



CHUCK  
**12/12.6MM**



No.210003  
**NBT-ER-3612H**



|            |                   |
|------------|-------------------|
| WATT       | 1600W             |
| CHUCK SIZE | 12/12.6mm         |
| RPM        | 0-23000r/min      |
| Net Weight | 4.86KGS           |
| CTN        | 4PCS              |
| G.W./CBM   | 21.26KGS/0.065CBM |

## ORBITAL SANDER

**320w**



No.215005  
**NBT-OS-125**

|            |                   |
|------------|-------------------|
| WATT       | 320W              |
| PAD SIZE   | 125mm             |
| RPM        | 0-12000r/min      |
| Net Weight | 2.0KGS            |
| CTN        | 10PCS             |
| G.W./CBM   | 21.14KGS/0.052CBM |



## ORBITAL SANDER

**350w**



No.215008  
**NBT-OS-90180**



|            |                  |
|------------|------------------|
| WATT       | 350W             |
| PAD SIZE   | 90*180mm         |
| RPM        | 13800RPM         |
| Net Weight | 1.87KGS          |
| CTN        | 10PCS            |
| G.W./CBM   | 21.0KGS/0.060CBM |

## SHEEP CLIPPERS

**600w**

Blade Width  
**82MM**



No.250004  
**NBT-SC-13A**



|             |                    |
|-------------|--------------------|
| WATT        | 600W               |
| BLADE WIDTH | 82mm               |
| RPM         | 60-2600r/min       |
| Net Weight  | 2.6KGS             |
| CTN         | 5PCS               |
| G.W./CBM    | 14.15KGS/0.0573CBM |

## PAINT SPRAYER

**600w**



No.253001  
**NBT-PS-600A**



|            |                |
|------------|----------------|
| WATT       | 600W           |
| LITRE      | 1000ML/MIN     |
| VOL        | 1000ML         |
| Net Weight | 0.9KGS         |
| CTN        | 6PCS           |
| G.W./CBM   | 14KGS/0.084CBM |

## AUTOMOBILE AIR COMPRESSOR

**150w**



No.256001  
**NBT-AAC-150A**

|                     |                   |
|---------------------|-------------------|
| WATT                | 150W              |
| LITRE               | 45L/MIN           |
| Max output pressure | 120PSI            |
| Net Weight          | 2.66KGS           |
| CTN                 | 6PCS              |
| G.W./CBM            | 19.0KGS/0.0534CBM |

## DIAMOND CORE DRILL

**1700w**

Max Drill Dia  
**120MM**



No.207014  
**NBT-DCD-120A**



|               |                   |
|---------------|-------------------|
| WATT          | 1700W             |
| Max Drill Dia | 120mm             |
| RPM           | 0-2000r/min       |
| Net Weight    | 4.1KGS            |
| CTN           | 4PCS              |
| G.W./CBM      | 21.50KGS/0.720CBM |

## DIAMOND CORE DRILL

**2200w**

Max Drill Dia  
**160MM**



No.207013  
**NBT-DCD-160A**



|               |                   |
|---------------|-------------------|
| WATT          | 2200W             |
| Max Drill Dia | 160mm             |
| RPM           | 0-1380r/min       |
| Net Weight    | 6.0KGS            |
| CTN           | 4PCS              |
| G.W./CBM      | 26.50KGS/0.720CBM |

## DIAMOND CORE DRILL

**3800w**

Max Drill Dia  
**200MM**



No.207001  
**NBT-DCD-200A**



|               |                   |
|---------------|-------------------|
| WATT          | 3800W             |
| Max Drill Dia | 200mm             |
| RPM           | 0-700r/min        |
| Net Weight    | 20.0KGS           |
| CTN           | 1PCS              |
| G.W./CBM      | 22.10KGS/0.072CBM |

## DIAMOND CORE DRILL

**3800w**

Max Drill Dia  
**235MM**



No.207018  
**NBT-DCD-235A**



|               |                  |
|---------------|------------------|
| WATT          | 3800W            |
| Max Drill Dia | 235mm            |
| RPM           | 750r/min         |
| Net Weight    | 15.2KGS          |
| CTN           | 1PCS             |
| G.W./CBM      | 16.0KGS/0.064CBM |

## DIAMOND CORE DRILL

**4150w**

Max Drill Dia  
**250MM**



No.207004  
**NBT-DCD-250A**



|               |                   |
|---------------|-------------------|
| WATT          | 4150W             |
| Max Drill Dia | 250mm             |
| RPM           | 0-500r/min        |
| Net Weight    | 20.4KGS           |
| CTN           | 1PCS              |
| G.W./CBM      | 22.70KGS/0.072CBM |



## DIAMOND CORE DRILL



No.207017  
**NBT-DCD-260A**

|               |                   |
|---------------|-------------------|
| WATT          | 4000W             |
| Max Drill Dia | 260mm             |
| RPM           | 700r/min          |
| Net Weight    | 20.4KGS           |
| CTN           | 1PCS              |
| G.W./CBM      | 22.70KGS/0.064CBM |

## DIAMOND CORE DRILL



No.207002  
**NBT-DCD-300A**

|               |                   |
|---------------|-------------------|
| WATT          | 4150W             |
| Max Drill Dia | 300mm             |
| RPM           | 0-300r/min        |
| Net Weight    | 20.7KGS           |
| CTN           | 1PCS              |
| G.W./CBM      | 23.20KGS/0.078CBM |

## PROFILE MAGNETIC DRILL (Multifunctional)



No.229010  
**NBT-MD-D8840**

|                 |                  |
|-----------------|------------------|
| WATT            | 1400W            |
| TWIST DRILL BIT | Φ13mm            |
| RPM             | 0-650r/min       |
| CORE DRILL BIT  | Φ40mm            |
| MAX.STROKE      | 120MM            |
| MAGNETISM       | 12000N           |
| Net Weight      | 10.2KGS          |
| CTN             | 2PCS             |
| G.W./CBM        | 31.0KGS/0.058CBM |

## PROFILE MAGNETIC DRILL (Multifunctional)



No.229011  
**NBT-MD-D8860**

|                 |                  |
|-----------------|------------------|
| WATT            | 1800W            |
| TWIST DRILL BIT | Φ13mm            |
| RPM             | 0-450r/min       |
| CORE DRILL BIT  | Φ60mm            |
| MAX.STROKE      | 225MM            |
| MAGNETISM       | 15000N           |
| Net Weight      | 17.35KGS         |
| CTN             | 1PCS             |
| G.W./CBM        | 26.0KGS/0.047CBM |

## DRYWALL SANDER



No.248002  
**NBT-DS-180A**

|                        |                |
|------------------------|----------------|
| WATT                   | 800W           |
| Grinding area disc dia | 180mm          |
| RPM                    | 1200-2300r/min |
| Net Weight             | 2.55KGS        |
| CTN                    | 4PCS           |
| G.W./CBM               | 16KGS/0.107CBM |

## DRYWALL SANDER



No.248001  
**NBT-DS-225A**

|                        |                   |
|------------------------|-------------------|
| WATT                   | 800W              |
| Grinding area disc dia | 225mm             |
| Sanding paper dia      | 225mm             |
| RPM                    | 800-1800r/min     |
| Net Weight             | 3.7KGS            |
| CTN                    | 2PCS              |
| G.W./CBM               | 14.15KGS/0.150CBM |

## HIGH PRESSURE AIRLESS SPRAYER



No.235008  
**NBT-AS-4500T**

|            |                   |
|------------|-------------------|
| WATT       | 1800W             |
| FIOW       | 1.8L/MIN          |
| PRESSURE   | 3000PSI           |
| Net Weight | 13.7KGS           |
| CTN        | 1PCS              |
| G.W./CBM   | 18.50KGS/0.100CBM |

## HIGH PRESSURE AIRLESS SPRAYER



No.235009  
**NBT-AS-6900T**

|            |                  |
|------------|------------------|
| WATT       | 2200W            |
| FIOW       | 3.0L/MIN         |
| PRESSURE   | 3000PSI          |
| Net Weight | 16.55KGS         |
| CTN        | 1PCS             |
| G.W./CBM   | 23.0KGS/0.126CBM |

## HIGH PRESSURE AIRLESS SPRAYER



No.235013  
**NBT-AS-6900TS**

|            |                  |
|------------|------------------|
| WATT       | 2200W            |
| FIOW       | 3.3L/MIN         |
| PRESSURE   | 3300PSI          |
| Net Weight | 16.55KGS         |
| CTN        | 1PCS             |
| G.W./CBM   | 23.0KGS/0.126CBM |



## HIGH PRESSURE AIRLESS SPRAYER

**3000w**



No.235007  
**NBT-AS-9900T**



|            |                   |
|------------|-------------------|
| WATT       | 3000W             |
| FIOW       | 2.5L/MIN          |
| PRESSURE   | 2800PSI           |
| Net Weight | 37.0KGS           |
| CTN        | 1PCS              |
| G.W/CBM    | 45.26KGS/0.160CBM |

## HIGH PRESSURE AIRLESS SPRAYER

**1800w**

**BRUSHLESS MOTOR**



No.235011  
**NBT-AS-595T**



|            |                  |
|------------|------------------|
| WATT       | 1800W            |
| FIOW       | 2.6L/MIN         |
| PRESSURE   | 3300PSI          |
| Net Weight | 18.5KGS          |
| CTN        | 1PCS             |
| G.W/CBM    | 21.0KGS/0.110CBM |

## AIR COMPRESSOR(OIL LESS)

**680w**



No.232007  
**NBT-AC-12L**



|            |                   |
|------------|-------------------|
| WATT       | 680W              |
| LITRE      | 55L/MIN           |
| RPM        | 1400r/min         |
| Net Weight | 15.42KGS          |
| CTN        | 1PCS              |
| G.W/CBM    | 16.0KGS/0.0644CBM |

## AIR COMPRESSOR(OIL LESS)

**750w**



No.232003  
**NBT-AC-30L**



|            |                   |
|------------|-------------------|
| WATT       | 750W              |
| LITRE      | 128L/MIN          |
| RPM        | 1400r/min         |
| Net Weight | 18.55KGS          |
| CTN        | 1PCS              |
| G.W/CBM    | 21.65KGS/0.090CBM |

## AIR COMPRESSOR(OIL LESS)

**850w\*2**



No.232004  
**NBT-AC-50L**



|            |                |
|------------|----------------|
| WATT       | 850Wx2         |
| LITRE      | 280L/MIN       |
| RPM        | 1400r/min      |
| Net Weight | 36.7KGS        |
| CTN        | 1PCS           |
| G.W/CBM    | 40KGS/0.159CBM |

## INVERTER WELDING MACHINE



No.209013  
**NBT-MMA-200DP**

|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-120A           |
| Net Weight        | 2.83KGS           |
| CTN               | 4PCS              |
| G.W/CBM           | 17.76KGS/0.835CBM |

## INVERTER WELDING MACHINE



No.209014  
**NBT-MMA-200EP**

|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-140A           |
| Net Weight        | 3.14KGS           |
| CTN               | 4PCS              |
| G.W/CBM           | 18.85KGS/0.081CBM |

## INVERTER WELDING MACHINE

**3.2MM** DIA. OF WELDING ROD **5MM** MAX. THICKNESS OF STEEL



No.209018  
**NBT-MMA-200FP**

|                   |                  |
|-------------------|------------------|
| Frequency(hz)     | 50/60Hz          |
| Output Current(A) | 20-120A          |
| Net Weight        | 1.81KGS          |
| CTN               | 6PCS             |
| G.W/CBM           | 18.1KGS/0.166CBM |

## INVERTER WELDING MACHINE



No.209015  
**NBT-MMA-250CP**

|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-160A           |
| Net Weight        | 4.92KGS           |
| CTN               | 2PCS              |
| G.W/CBM           | 14.41KGS/0.065CBM |



## INVERTER WELDING MACHINE



No.209016  
**NBT-MMA-315CP**



|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-200A           |
| Net Weight        | 5.43KGS           |
| CTN               | 2PCS              |
| G.W./CBM          | 16.04KGS/0.065CBM |

## INVERTER WELDING MACHINE



No.209019  
**NBT-ARC-315BG(180A)**

|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-180A           |
| Net Weight        | 6.04KGS           |
| CTN               | 2PCS              |
| G.W./CBM          | 17.58KGS/0.065CBM |

## INVERTER WELDING MACHINE



No.209020  
**NBT-ARC-315CG(220A)**

|                   |                   |
|-------------------|-------------------|
| Frequency(hz)     | 50/60Hz           |
| Output Current(A) | 20-230A           |
| Net Weight        | 10.9KGS           |
| CTN               | 1PCS              |
| G.W./CBM          | 13.96KGS/0.065CBM |

## INVERTER WELDING MACHINE



No.209021  
**NBT-ARC-500BG(380A)**



|                   |                 |
|-------------------|-----------------|
| Frequency(hz)     | 50/60Hz         |
| Output Current(A) | 20-380A         |
| Net Weight        | 21.0KGS         |
| CTN               | 1PCS            |
| G.W./CBM          | 26.1KGS/0.11CBM |

## DC INVERTER MIG WELDER



No.209022  
**NBT-MIG-200BM(120A)**



|                   |                  |
|-------------------|------------------|
| Frequency(hz)     | 50/60Hz          |
| Output Current(A) | 40-120A          |
| Net Weight        | 3.05KGS          |
| CTN               | 4PCS             |
| G.W./CBM          | 23.5KGS/0.068CBM |

## DC INVERTER MIG WELDER



No.209023  
**NBT-MIG-250BM(160A)**



|                   |                  |
|-------------------|------------------|
| Frequency(hz)     | 50/60Hz          |
| Output Current(A) | 40-160A          |
| Net Weight        | 8.5KGS           |
| CTN               | 1PCS             |
| G.W./CBM          | 13.8KGS/0.065CBM |

## LASER LEVEL TRIPOD (STAINLESS STEEL)



No.117391  
**NBT-LLT-1.2M**

|            |                    |
|------------|--------------------|
| HEIGHT     | 1.2M               |
| Net Weight | 0.84KGS            |
| CTN        | 20PCS              |
| G.W./CBM   | 21.05KGS/0.1362CBM |

## LASER LEVEL TRIPOD (STAINLESS STEEL)



No.117392  
**NBT-LLT-1.5M**

|            |                   |
|------------|-------------------|
| HEIGHT     | 1.5M              |
| Net Weight | 0.93KGS           |
| CTN        | 20PCS             |
| G.W./CBM   | 24.60KGS/0.150CBM |

## GRINDER CHAIN SAW ADAPTOR (AUTO-OIL)



No.117420  
**NBT-GCA-12B**

|            |           |
|------------|-----------|
| LENGTH     | 12in      |
| Net Weight | 1.14KGS   |
| CTN        | 20PCS     |
| G.W.       | 26.0KGS   |
| CBM        | 0.0655CBM |



## SUCTION CUP(SINGLE)



No.704004  
**NBT-SC-60AL**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 123mm            |
| MAX SAFE SUCTION | 60KG             |
| Net Weight       | 0.433KGS         |
| CTN              | 30PCS            |
| G.W./CBM         | 15.0KGS/0.073CBM |



## SUCTION CUP(DOUBLE)



No.704005  
**NBT-SC-100AL**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 123mm            |
| MAX SAFE SUCTION | 100KG            |
| Net Weight       | 0.68KGS          |
| CTN              | 20PCS            |
| G.W./CBM         | 15.4KGS/0.097CBM |



## SUCTION CUP(SINGLE)



No.704001  
**NBT-SC-35A**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 118mm            |
| MAX SAFE SUCTION | 35KG             |
| Net Weight       | 0.253KGS         |
| CTN              | 50PCS            |
| G.W./CBM         | 14.6KGS/0.112CBM |



## SUCTION CUP(DOUBLE)



No.704002  
**NBT-SC-65A**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 123mm            |
| MAX SAFE SUCTION | 65KG             |
| Net Weight       | 0.51KGS          |
| CTN              | 20PCS            |
| G.W./CBM         | 12.2KGS/0.091CBM |



## SUCTION CUP(THREE)



No.704003  
**NBT-SC-100A**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 123mm            |
| MAX SAFE SUCTION | 100KG            |
| Net Weight       | 0.68KGS          |
| CTN              | 12PCS            |
| G.W./CBM         | 11.2KGS/0.099CBM |



## SUCTION CUP(VACUUM)




No.704006  
**NBT-SC-120A**

|                  |                  |
|------------------|------------------|
| DISC DIAMETER    | 200mm            |
| MAX SAFE SUCTION | 120KG            |
| Net Weight       | 0.88KGS          |
| CTN              | 10PCS            |
| G.W./CBM         | 19.5KGS/0.051CBM |



## TILE CUTTER



No.701002  
**NBT-TC-0290**

|                   |                   |
|-------------------|-------------------|
| MAX CUTTING WIDTH | 90cm              |
| CUTTING THICKNESS | 2-12mm            |
| BASE LENGTH       | 45cm              |
| Net Weight        | 1.82KGS           |
| CTN               | 10PCS             |
| G.W./CBM          | 20.2KGS/0.0752CBM |



## TILE CUTTER



No.701003  
**NBT-TC-02120**

|                   |                   |
|-------------------|-------------------|
| MAX CUTTING WIDTH | 120cm             |
| CUTTING THICKNESS | 2-12mm            |
| BASE LENGTH       | 45cm              |
| Net Weight        | 1.82KGS           |
| CTN               | 10PCS             |
| G.W./CBM          | 23.0KGS/0.0983CBM |



## USB 5V ADAPTOR



- 1A/2A USB output socket optional
- Auto sleep in 30 seconds without working
- Stabilized design on currency protective



Makita type  
Battery socket



USB output  
1A/2A



Double click for  
LED Lighting

No.119127  
**NBT-USB-5A**

|            |        |
|------------|--------|
| Net Weight | 0.1KGS |
| CTN        | 50PCS  |
| G.W.       | 7.3KGS |




**CABLE**



**SWITCH**



**AB WASHER**



**PISTON & CONNECTING ROD**



**O RING**



**GEAR & PINION**



**VIBRATOR NEEDLE & MIXER ROD**



**TOOL HOLDER**



**GEAR BOX**




**OTHER SPARE PARTS**



**CONTROL BOARD**



**MOTOR SET**





# DIAMOND SAW BLADE



Concrete

Marble

Granite

Brick

Tile



## 4" 110X10X1.8X20MM

MAX:13800RPM.80M/S

PCS/CTN 100

SEGMENTED

CODE: 301300002



## 4.5" 115X10X2.0X22.23MM

MAX:12200RPM.80M/S

PCS/CTN 100

SEGMENTED

CODE: 301300039



## 5" 125X10X2.2X22.23MM

MAX:12200RPM.80M/S

PCS/CTN 100

SEGMENTED

CODE: 301300038




## 6" 150X10X2.4X22.23MM

MAX:10200RPM.80M/S

PCS/CTN 50

SEGMENTED

CODE: 301300011




## 7" 180X10X2.4X22.23MM

MAX:8400RPM.80M/S

PCS/CTN 40

SEGMENTED

CODE: 301300033



## 9" 230X10X2.6X22.23MM

MAX:8400RPM.80M/S

PCS/CTN 30

SEGMENTED

CODE: 301300036




## 4" 110X10X2.0X20MM

MAX:13800RPM.80M/S

PCS/CTN 100

TURBO

CODE: 301500052



## 4.5" 115X10X2.0X22.23MM

MAX:13800RPM.80M/S

PCS/CTN 100

TURBO

CODE: 301500042





# DIAMOND SAW BLADE



**5" 125X10X2.2X22.23MM**  
MAX:12200RPM.80M/S

PCS/CTN **100**

**TURBO**

CODE: **301500043**



**7" 180X10X2.6X22.23MM**  
MAX:8400RPM.80M/S

PCS/CTN **40**

**TURBO**

CODE: **301500044**



**9" 230X10X2.8X22.23MM**  
MAX:6600RPM.80M/S

PCS/CTN **30**

**TURBO**

CODE: **301500039**



**4.5" 115X10X2.0X22.23MM**  
MAX:13200RPM.80M/S

PCS/CTN **100**

**TURBO**

CODE: **301500045**



**5" 125X10X1.4X22.23MM**  
MAX:12200RPM.80M/S

PCS/CTN **100**

**TURBO**



CODE: **301500049**




**7" 180X10X1.8X22.23MM**  
MAX:7600RPM.80M/S

PCS/CTN **40**

**TURBO**



CODE: **301500047**



**9" 230X10X2.0X22.23MM**  
MAX:6600RPM.80M/S

PCS/CTN **30**

**TURBO**



CODE: **301500046**



## General Purpose

- Excellent cutting ability.
- Ensure excellent cutting performance and long service life.
- Meeting the comprehensive requirements of professional users.



# FLAP DISC

**EN13743**

- Efficient grinding and polishing
- Low noise

## CLACINE ALUMIUM OXIDE (BROWN COLOUR)

**4" DA60**  
100X16MM

Base fabric length: 15  
Base fabric width: 21

**CODE: 30500006**

PCS/CTN 200



Pieces:72

**4" DA80**  
100X16MM

Base fabric length: 15  
Base fabric width: 21

**CODE: 30500007**

PCS/CTN 200



Pieces:72

**4.5" DA60**  
115X22.23MM

Base fabric length: 16  
Base fabric width: 25

**CODE: 30500008**

PCS/CTN 200



Pieces:72

**4.5" DA80**  
115X22.23MM

Base fabric length: 16  
Base fabric width: 25

**CODE: 30500009**

PCS/CTN 200



Pieces:72

**5" DA80**  
125X22.23MM

Base fabric length: 16  
Base fabric width: 28

**CODE: 3052005**

PCS/CTN 200



Pieces:108

### PACKAGING INSTRUCTIONS:

Single disc with label sticker, 10pcs/vacuum formed,  
vacuum formed pack with color box, 200pcs/ctn  
(100mm without color box and vacuum formed label  
directly into the box).  
(Vacuum packaging method optional: surface labeling per  
sheet/top single sheet labeling)





# FLAP DISC

**EN13743**

- Efficient grinding and polishing
- Low noise

## GENERAL ZIRCONIUM

**4" ZA60**  
100X16MM

Base fabric length: 16  
Base fabric width: 21

**CODE: 3053001**

PCS/CTN 200



Pieces:72

**4" ZA80**  
100X16MM

Base fabric length: 16  
Base fabric width: 21

**CODE: 3503002**

PCS/CTN 200



Pieces:72

**4.5" ZA60**  
115X22.23MM

Base fabric length: 16  
Base fabric width: 25

**CODE: 3051001**

PCS/CTN 200




Pieces:72

**4.5" ZA80**  
115X22.23MM

Base fabric length: 16  
Base fabric width: 25

**CODE: 30500010**

PCS/CTN 200



Pieces:72

**5" ZA60**  
125X22.23MM

Base fabric length: 16  
Base fabric width: 28

**CODE: 3052001**

PCS/CTN 200



Pieces:108

**5" ZA80**  
125X22.23MM

Base fabric length: 16  
Base fabric width: 28

**CODE: 3052002**

PCS/CTN 200



Pieces:108

### PACKAGING INSTRUCTIONS:

Single disc with label sticker, 10pcs/vacuum formed, vacuum formed pack with color box, 200pcs/ctn (100mm without color box and vacuum formed label directly into the box).

(Vacuum packaging method optional: surface labeling per sheet/top single sheet labeling)





# FLAP DISC

**EN13743**

- Efficient grinding and polishing
- Low noise

## ALUMIUM OXIDE (RED COLOUR)

**4" A60**  
**100X16MM**

Base fabric length: 15  
Base fabric width: 21

**CODE: 3503003**

PCS/CTN 200



Pieces:72

**4" A80**  
**100X16MM**

Base fabric length: 15  
Base fabric width: 21

**CODE: 3503004**

PCS/CTN 200



Pieces:72

**4.5" A60**  
**115X22.23MM**

Base fabric length: 16  
Base fabric width: 25

**CODE: 3051002**

PCS/CTN 200



Pieces:72

**4.5" A80**  
**115X22.23MM**

Base fabric length: 16  
Base fabric width: 25

**CODE: 3051003**

PCS/CTN 200



Pieces:72

**5" A60**  
**125X22.23MM**

Base fabric length: 16  
Base fabric width: 28

**CODE: 3052003**

PCS/CTN 200



Pieces:108

**5" A80**  
**125X22.23MM**

Base fabric length: 16  
Base fabric width: 28

**CODE: 3052004**

PCS/CTN 200



Pieces:108

### PACKAGING INSTRUCTIONS:

Single disc with label sticker, 10pcs/vacuum formed, vacuum formed pack with color box, 200pcs/ctn (100mm without color box and vacuum formed label directly into the box).  
(Vacuum packaging method optional: surface labeling per sheet/top single sheet labeling)





# CUTTING WHEEL

For cutting of stainless steel, precious metals such as steel alloy.

**4" 1.0MM**  
107X1.0X16MM

MAX SPEED: 80M/S  
MAX RPM: 15200

CODE: 30400001



**4.5" 1.0MM**  
115X1.0X22.2MM

MAX SPEED: 80M/S  
MAX RPM: 13300

CODE: 30400006



**5" 1.0MM**  
125X1.0X22.2MM

MAX SPEED: 80M/S  
MAX RPM: 12200

CODE: 30400003



**7" 1.6MM**  
180X1.6X22.2MM

MAX SPEED: 80M/S  
MAX RPM: 8600

CODE: 30400008



**9" 2.0MM**  
230X2.0X22.2MM

MAX SPEED: 80M/S  
MAX RPM: 6600

CODE: 30400009



**14" 3.0MM**  
355X3.0X25.4MM

MAX SPEED: 80M/S  
MAX RPM: 4400

CODE: 30400002



**14" 3.0MM**  
355X3.0X25.4MM

MAX SPEED: 80M/S  
MAX RPM: 4400

CODE: 30400013





# DIAMOND CUP WHEEL



**4.5"** **115MM**  
115X5X22.23MM

PCS/CTN **20**



MAX SPEED:13200RPM

CODE: **303115001**



**4.5"** **115MM**  
115X5X22.23MM

PCS/CTN **40**



MAX SPEED:13200RPM

CODE: **303115002**



**4.5"** **115MM**  
115X5X22.23MM

PCS/CTN **20**



MAX SPEED:13200RPM

CODE: **303160009**



**4.5"** **115MM**  
115X5X22.23MM

PCS/CTN **40**



MAX SPEED:13200RPM

CODE: **303115003**



**5"** **125MM**  
125X5X22.23MM

PCS/CTN **20**



MAX SPEED:12200RPM

CODE: **303160010**



**5"** **125MM**  
125X5X22.23MM

PCS/CTN **40**



MAX SPEED:12200RPM

CODE: **303125002**



**5"** **125MM**  
125X5X22.23MM

PCS/CTN **20**



MAX SPEED:12200RPM

CODE: **303160011**



**5"** **125MM**  
125X5X22.23MM

PCS/CTN **40**



MAX SPEED:12200RPM

CODE: **303125003**





# TCT BLADE

*Sharp and durable,  
efficient and fast cutting.*

## FOR ALUMINIUM



### 10" x80T

PCS/CTN 25

250x2.8x80Tx30mm

Ring:30-25.4

**CODE: 302000054**



### 10" x100T

PCS/CTN 25

250x2.8x100Tx30mm

Ring:30-25.4

**CODE: 302000022**



### 10" x120T

PCS/CTN 25

250x2.8x120Tx30mm

Ring:30-25.4

**CODE: 302000023**



### 12" x100T

PCS/CTN 20

300x3.0x100Tx30mm

Ring:30-25.4

**CODE: 302000024**




### 12" x120T

PCS/CTN 20

300x3.0x120Tx30mm

Ring:30-25.4

**CODE: 302000078**



## ALUMINIUM

### Application Scenario





# TCT BLADE

*Sharp and durable,  
efficient and fast cutting.*

**WOOD**



## FOR WOOD



**Toothshape**

**Application Scenario**

**4" x30T**

PCS/CTN 100

110x1.6x30Tx20mm  
Ring:20-16

**CODE: 302000003**



**4" x40T**

PCS/CTN 100

110x1.6x40Tx20mm  
Ring:20-16

**CODE: 302000017**



**4.5" x40T**

PCS/CTN 100

115x1.6x40Tx22.23mm  
Ring:22.23-20

**CODE: 302000034**



**4.5" x30T**

PCS/CTN 100

115x1.6x30Tx22.23mm  
Ring:22.23-20

**CODE: 302000056**



**7" x24T**

PCS/CTN 50

180x2.0x24Tx25.4mm  
Ring:25.4-20

**CODE: 302000058**



**7" x40T**

PCS/CTN 50

180x2.0x40Tx25.4mm  
Ring:25.4-20

**CODE: 302000059**



**7" x60T**

PCS/CTN 50

180x2.0x60Tx25.4mm  
Ring:25.4-20

**CODE: 302000060**



**9" x24T**

PCS/CTN 25

230x2.4x24Tx25.4mm  
Ring:25.4-20

**CODE: 302000062**





# TCT BLADE

*Sharp and durable,  
efficient and fast cutting.*

**WOOD**



## FOR WOOD



**Toothshape**

**Application Scenario**

**9" x40T**

PCS/CTN 25

230x2.4x40Tx25.4mm  
Ring:25.4-20

**CODE: 302000063**



**9" x60T**

PCS/CTN 25

230x2.4x60Tx25.4mm  
Ring:25.4-20

**CODE: 302000065**



**10" x40T**

PCS/CTN 25

250x2.6x40Tx25.4mm  
Ring:25.4-20

**CODE: 302000067**



**10" x60T**

PCS/CTN 25

250x2.6x60Tx25.4mm  
Ring:25.4-20

**CODE: 302000068**



**10" x80T**

PCS/CTN 25

250x2.6x80Tx30mm  
Ring:30-25.4

**CODE: 302000069**



**12" x40T**

PCS/CTN 20

300x3.0x40Tx30mm  
Ring:30-25.4

**CODE: 302000073**



**12" x60T**

PCS/CTN 20

300x3.0x60Tx30mm  
Ring:30-25.4

**CODE: 302000074**



**12" x80T**

PCS/CTN 20

300x3.0x80Tx30mm  
Ring:30-25.4

**CODE: 302000075**





# DRILL CHUCK

with Key  
& Keyless Chuck with Lock System

Color box+ Color outer carton



## Drill chuck with key & Keyless chuck with lock system

### Drill Chuck&Key

CHUCK: 10mm(3/8")  
CAPACITY(mm): 1.5-10  
THREAD: 3/8-24UNF  
WEIGHT: 153g 40g(key)

**CODE: 117066059**



### Drill Chuck&Key

CHUCK: 13mm(1/2")  
CAPACITY(mm): 1.5-13  
THREAD: 1/2-20UNF  
WEIGHT: 255g 61g(key)

**CODE: 117066058**



### Drill Chuck with Lock System

CHUCK: 13mm(1/2")  
CAPACITY(mm): 1.5-13  
THREAD: 1/2-20UNF  
WEIGHT: 248g

**CODE: 117066032**



### Drill Chuck

CHUCK: 13mm(1/2")  
CAPACITY(mm): 2-13  
THREAD: 1/2-20UNF  
WEIGHT: 210g

**CODE: 117066031**



### Drill Chuck with Lock System

CHUCK: 13mm(1/2")  
CAPACITY(mm): 1.5-13  
THREAD: 1/2-20UNF  
WEIGHT: 186g

**CODE: 117066030**



### Drill Chuck with Lock System

CHUCK: 13mm(1/2")  
CAPACITY(mm): 1.5-13  
THREAD: 1/2-20UNF  
WEIGHT: 250g

**CODE: 117066089**



### Drill Chuck

CHUCK: 10mm(3/8")  
CAPACITY(mm): 0.8-10  
THREAD: 3/8-24UNF  
WEIGHT: 123g

**CODE: 117066018**



### Drill Chuck with Lock System

CHUCK: 10mm(3/8")  
CAPACITY(mm): 0.8-10  
THREAD: 3/8-24UNF  
WEIGHT: 140g

**CODE: 117066069**





# Tape Measure Utility Knife

## ● Tape Measure

Plastic bag + color box + outer box

### NBT-TM-313A

#### 3M 10FTX13mm

**200 pcs/ctn**

CODE: 703001



### NBT-TM-519A

#### 5M 16FTX19mm

**120 pcs/ctn**

CODE: 703002



### NBT-TM-519B

#### 5M 16FTX19mm

**120 pcs/ctn**

CODE: 703003



### NBT-TM-525A

#### 5M 16FTX25mm

**60 pcs/ctn**

CODE: 703004

Front 1m ultra-durable printing  
(lifespan increased by 3-4 times)



## ● Utility Knife

Bubble card + color box + outer box



NBT-K-0980 163001



NBT-K-18100 163002

### NBT-UK-0980A

#### 0.38\*9\*80MM

**288 pcs/ctn**

CODE: 702001



### NBT-UK-18100W

#### 0.6\*18\*100MM

**144 pcs/ctn**

CODE: 702002





# HSS DRILL BIT



## 2.0MM

**4341**
**CODE: 116474**
**PCS/BOX 100**
**PCS/CTN 4000**

## 2.5MM

**4341**
**CODE: 31200052**
**PCS/BOX 100**
**PCS/CTN 4000**

## 3.0MM

**4341**
**CODE: 116455**
**PCS/BOX 100**
**PCS/CTN 4000**

## 3.5MM

**4341**
**CODE: 31200044**
**PCS/BOX 100**
**PCS/CTN 4000**

## 4.0MM

**4341**
**CODE: 116456**
**PCS/BOX 100**
**PCS/CTN 4000**


## 4.5MM

**4341**
**CODE: 31200045**
**PCS/BOX 100**
**PCS/CTN 2400**

## 5.0MM

**4341**
**CODE: 116475**
**PCS/BOX 100**
**PCS/CTN 2000**

## 5.5MM

**4341**
**CODE: 31200057**
**PCS/BOX 100**
**PCS/CTN 2000**

## 6.0MM

**4341**
**CODE: 116457**
**PCS/BOX 100**
**PCS/CTN 1800**

## 6.5MM

**4341**
**CODE: 31200058**
**PCS/BOX 100**
**PCS/CTN 1000**




# HSS DRILL BIT



**7.0MM**

4341

CODE: 31200046

PCS/BOX 100

PCS/CTN 1000



**7.5MM**

4341

CODE: 31200059

PCS/BOX 100

PCS/CTN 1000



**8.0MM**

4341

CODE: 116463

PCS/BOX 50

PCS/CTN 900



**8.5MM**

4341

CODE: 31200060

PCS/BOX 50

PCS/CTN 900




**9.0MM**

4341

CODE: 31200047

PCS/BOX 50

PCS/CTN 500



**9.5MM**

4341

CODE: 31200061

PCS/BOX 25

PCS/CTN 500



**10MM**

4341

CODE: 116464

PCS/BOX 25

PCS/CTN 500



**11MM**

4341

CODE: 31200048

PCS/BOX 25

PCS/CTN 300



**12MM**

4341

CODE: 31200049

PCS/BOX 25

PCS/CTN 300



**13MM**

4341

CODE: 31200062

PCS/BOX 25

PCS/CTN 300









# NEWBEAT®

## HAMMER DRILL BITS

Long service life for concrete, reinforced concrete, granite, and other building materials.



concrete



Brick wall



Granite



**6x110**

250PCS/CTN  
Size(mm)

30600046

SDS-PLUS



**8x110**

250PCS/CTN  
Size(mm)

30600129

SDS-PLUS



**6x160**

250PCS/CTN  
Size(mm)

30600110

SDS-PLUS



**8x160**

250PCS/CTN  
Size(mm)

30600048

SDS-PLUS



**10x160**

250PCS/CTN  
Size(mm)

30600049

SDS-PLUS



**12x160**

250PCS/CTN  
Size(mm)

30600050

SDS-PLUS



**10x210**

200PCS/CTN  
Size(mm)

30600089

SDS-PLUS



**12x210**

200PCS/CTN  
Size(mm)

30600091

SDS-PLUS



**14x210**

200PCS/CTN  
Size(mm)

30600161

SDS-PLUS



**16x210**

100PCS/CTN  
Size(mm)

30600099

SDS-PLUS



**18x210**

100PCS/CTN  
Size(mm)

30600160

SDS-PLUS



**20x210**

50PCS/CTN  
Size(mm)

30600162

SDS-PLUS



**22x260**

50PCS/CTN  
Size(mm)

30600106

SDS-PLUS



**25x310**

20PCS/CTN  
Size(mm)

30600017

SDS-PLUS



**28x570**

10PCS/CTN  
Size(mm)

30600005

SDS-MAX



**30x570**

10PCS/CTN  
Size(mm)

30600006

SDS-MAX

**32x570**

10PCS/CTN  
Size(mm)

30600112

SDS-MAX

**20x600**

25PCS/CTN  
Size(mm)

30600123

SDS-MAX

**22x600**

25PCS/CTN  
Size(mm)

30600122

SDS-MAX

**24x600**

20PCS/CTN  
Size(mm)

30600121

SDS-MAX

**26x600**

10PCS/CTN  
Size(mm)

30600120

SDS-MAX

**28x600**

10PCS/CTN  
Size(mm)

30600119

SDS-MAX

**30x600**

10PCS/CTN  
Size(mm)

30600118

SDS-MAX

**32x600**

10PCS/CTN  
Size(mm)

30600117

SDS-MAX

NEWBEAT

NEWBEAT

48

NEWBEAT

NEWBEAT

Note: NewBeat company reserves the right to improve product parameters, appearance and design without prior notice.



# BATTERIES

Built-in microchip protection safeguards against over-voltage, over-current, and short circuits.



|          |             |
|----------|-------------|
| VOLTAGE  | 12V         |
| CAPACITY | 1.5Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6011010     |
| TYPE     | BC12155C01T |



|          |             |
|----------|-------------|
| VOLTAGE  | 12V         |
| CAPACITY | 2.0Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6011012     |
| TYPE     | BC12205C01T |



|          |             |
|----------|-------------|
| VOLTAGE  | 12V         |
| CAPACITY | 1.5Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6011006     |
| TYPE     | BC12155C01P |



|          |             |
|----------|-------------|
| VOLTAGE  | 12V         |
| CAPACITY | 2.0Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6011003     |
| TYPE     | BC12205C01P |



|          |              |
|----------|--------------|
| VOLTAGE  | 12V          |
| CAPACITY | 2.0Ah/10C    |
| PCS/CTN  | 100          |
| CODE     | 6011002      |
| TYPE     | BC122010C02P |



|          |             |
|----------|-------------|
| VOLTAGE  | 12V         |
| CAPACITY | 1.5Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6011005     |
| TYPE     | BC12155C01X |



|          |             |
|----------|-------------|
| VOLTAGE  | 16.8V       |
| CAPACITY | 1.5Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6013009     |
| TYPE     | BC161505C01 |



|          |             |
|----------|-------------|
| VOLTAGE  | 16.8V       |
| CAPACITY | 2.0Ah/5C    |
| PCS/CTN  | 100         |
| CODE     | 6013005     |
| TYPE     | BC162005C01 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 1.5Ah/5C   |
| PCS/CTN  | 50         |
| CODE     | 60122002   |
| TYPE     | BW21155C01 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 1.5Ah/5C   |
| PCS/CTN  | 50         |
| CODE     | 60121015   |
| TYPE     | BL21155C03 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 2.0Ah/5C   |
| PCS/CTN  | 50         |
| CODE     | 60121020   |
| TYPE     | BL21205C03 |



|          |             |
|----------|-------------|
| VOLTAGE  | 21V         |
| CAPACITY | 2.0Ah/10C   |
| PCS/CTN  | 50          |
| CODE     | 60121014    |
| TYPE     | BL212010C03 |



|          |             |
|----------|-------------|
| VOLTAGE  | 21V         |
| CAPACITY | 2.0Ah/15C   |
| PCS/CTN  | 50          |
| CODE     | 60121009    |
| TYPE     | BL212015C03 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 2.6Ah/5C   |
| PCS/CTN  | 50         |
| CODE     | 60121024   |
| TYPE     | BL21265C05 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 3.0Ah/5C   |
| PCS/CTN  | 20         |
| CODE     | 60121017   |
| TYPE     | BL21305C03 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 4.0Ah/5C   |
| PCS/CTN  | 20         |
| CODE     | 60121018   |
| TYPE     | BL21405C03 |



|          |             |
|----------|-------------|
| VOLTAGE  | 21V         |
| CAPACITY | 4.0Ah/15C   |
| PCS/CTN  | 20          |
| CODE     | 60121011    |
| TYPE     | BL214015C03 |



|          |             |
|----------|-------------|
| VOLTAGE  | 21V         |
| CAPACITY | 4.0Ah/15C   |
| PCS/CTN  | 20          |
| CODE     | 60121010    |
| TYPE     | BL214015C05 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 5.0Ah/5C   |
| PCS/CTN  | 20         |
| CODE     | 60121013   |
| TYPE     | BL21505C03 |



|          |             |
|----------|-------------|
| VOLTAGE  | 21V         |
| CAPACITY | 6.0Ah/15C   |
| PCS/CTN  | 20          |
| CODE     | 60121012    |
| TYPE     | BL216015C05 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 7.8Ah/5C   |
| PCS/CTN  | 20         |
| CODE     | 60121022   |
| TYPE     | BL21785C05 |



|          |            |
|----------|------------|
| VOLTAGE  | 21V        |
| CAPACITY | 8.0Ah      |
| PCS/CTN  | 20         |
| CODE     | 60121030   |
| TYPE     | BL21808C05 |





# CHARGERS

Power Up Quickly & Safely  
Fast Charging, Anytime  
Safety First, Always



## CHARGER

### DIRECT CHARGER

|         |        |
|---------|--------|
| Voltage | 12V    |
| Curret  | 0.5A   |
| PCS/CTN | 100    |
| Code    | 602002 |



|         |        |
|---------|--------|
| Voltage | 16.8V  |
| Curret  | 0.7A   |
| PCS/CTN | 100    |
| Code    | 602050 |



|         |        |
|---------|--------|
| Voltage | 21V    |
| Curret  | 1.0A   |
| PCS/CTN | 100    |
| Code    | 602001 |



### DESKTOP CHARGER

|         |        |
|---------|--------|
| Voltage | 16.8V  |
| Curret  | 1.0A   |
| PCS/CTN | 100    |
| Code    | 602055 |



|         |        |
|---------|--------|
| Voltage | 21V    |
| Curret  | 1.5A   |
| PCS/CTN | 50     |
| Code    | 119081 |



|         |        |
|---------|--------|
| Voltage | 21V    |
| Curret  | 2.0A   |
| PCS/CTN | 50     |
| Code    | 602007 |



|         |        |
|---------|--------|
| Voltage | 21V    |
| Curret  | 3.0A   |
| PCS/CTN | 50     |
| Code    | 602008 |



**3A**

|         |        |
|---------|--------|
| Voltage | 21V    |
| Curret  | 4.0A   |
| PCS/CTN | 50     |
| Code    | 602009 |



**4A**



### BATTERY CELL

|          |         |
|----------|---------|
| Voltage  | 3.7V    |
| Capacity | 1500mAh |
| C-rate   | 5C      |
| Code     | 601036  |



|          |         |
|----------|---------|
| Voltage  | 3.7V    |
| Capacity | 2000mAh |
| C-rate   | 5C      |
| Code     | 601037  |



|          |         |
|----------|---------|
| Voltage  | 3.7V    |
| Capacity | 2000mAh |
| C-rate   | 15C     |
| Code     | 6016002 |





# CARBON BRUSH


**Material:886**
**PROFESSIONAL QUALITY**


| No. | Product Code | Model                    | Size(mm)    | Applicable Models                                                                                 | Inner color box | color carton |
|-----|--------------|--------------------------|-------------|---------------------------------------------------------------------------------------------------|-----------------|--------------|
| 1   | 111017       | 1331                     | 6.3x16x22   | NBT-WG-180A                                                                                       | 10              | 1000         |
| 2   | 111010       | CB103                    | 6x10x15     | 0810/DH-17A/NBT-DH-0855/SR-DH-J351701                                                             | 10              | 1000         |
| 3   | 111181       | CB155A<br>(Auto-Stop)    | 6.5x13.5x16 | 1201/0860/HL108S                                                                                  | 10              | 1000         |
| 4   | 111174       | CB204<br>(Auto-Stop)     | 7x18x16     | 7020/1304/9067/9020/AG-180B/C/230B/C/NBT-DH-1304                                                  | 10              | 1000         |
| 5   | 111240       | G15SA2                   | 7x11x17     | 日立150/AG-125B/150B/NBT-SG-125                                                                     | 10              | 1000         |
| 6   | 111004       | GWS20-180<br>(Auto-Stop) | 6.3x16x22   | GWS20-230/24-180/230/21-180/230/1351/1361/GCO200/<br>GCO2000                                      | 10              | 1000         |
| 7   | 111172       | CB419                    | 6x9x11      | HR2450/HR2410/HR2430/HR1830/HR2431                                                                | 10              | 1000         |
| 8   | 111007       | 11E<br>(Auto-Stop)       | 6.3x16x26   | DH-18C(#76)                                                                                       | 10              | 1000         |
| 9   | 111160       | #43                      | 7x11x17     | CM4SA/GSD110C/MC-110C/125A/125AX/125C/150A/<br>AG-125B/150B/SC-125A/EM-160B/CM4SA/CM4SB/7"(205mm) | 10              | 1000         |
| 10  | 111005       | #44<br>(Auto-Stop)       | 7x17x17     | PH65A/65SC/DH-65A/CC14SF/CC14STD/G18SE2/<br>DH-65B/DH-65H/DH-85A                                  | 10              | 1000         |
| 11  | 111013       | 6-100                    | 5x8x15.5    | 6-100/A86/GWS750/GWS060/GWS8-100CE/GGS3000/<br>GGS5000/GWS900-100S                                | 10              | 1000         |
| 12  | 111073       | GBH2-26                  | 5x8x19      | GBH2-26/A96/RH-26A                                                                                | 10              | 1000         |
| 13  | 111500       | E64                      | 5x10x16.5   | GWS14-125CI/10-125/14-150CI/15-150CIH/GPO12CE/8-115                                               | 10              | 1000         |
| 14  | 111245       | CB325<br>(Auto-Stop)     | 5x11x16     | AG-100B/115B/9553/9557                                                                            | 10              | 1000         |
| 15  | 111474       | 7-115                    | 5x10x16.5   | 7-115                                                                                             | 10              | 1000         |



# CARBON BRUSH



## Material:258s





| No. | Product Code | Model                    | Size(mm)    | Applicable Models                                                                                 | Inner color box | color carton |
|-----|--------------|--------------------------|-------------|---------------------------------------------------------------------------------------------------|-----------------|--------------|
| 1   | 111005       | #44<br>(Auto-Stop)       | 7x17x17     | PH65A/65SC/DH-65A/CC14SF/CC14STD/G18SE2/<br>DH-65B/DH-65H/DH-85A                                  | 10              | 1000         |
| 2   | 111017       | 1331                     | 6.3x16x22   | NBT-WG-180A                                                                                       | 10              | 1000         |
| 3   | 111032       | 1347                     | 5x8x18      | 1347                                                                                              | 10              | 1000         |
| 4   | 111010       | CB103                    | 6x10x15     | 0810/DH-17A/NBT-DH-0855/SR-DH-J351701                                                             | 10              | 1000         |
| 5   | 111181       | CB155A<br>(Auto-Stop)    | 6.5x13.5x16 | 1201/0860/HL108S                                                                                  | 10              | 1000         |
| 6   | 111174       | CB204<br>(Auto-Stop)     | 7x18x16     | 7020/1304/9067/9020/AG-180B/C/230B/C/<br>NBT-DH-1304                                              | 10              | 1000         |
| 7   | 111004       | GWS20-180<br>(Auto-Stop) | 6.3x16x22   | GWS20-230/24-180/230/21-180/230/1351/1361/<br>GCO200/GCO2000                                      | 10              | 1000         |
| 8   | 111245       | CB325<br>(Auto-Stop)     | 5x11x16     | AG-100B/115B/9553/9557                                                                            | 10              | 1000         |
| 9   | 111073       | GBH2-26                  | 5x8x19      | GBH2-26/A96/RH-26A                                                                                | 10              | 1000         |
| 10  | 111172       | CB419                    | 6x9x11      | HR2450/HR2410/HR2430/HR1830/HR2431                                                                | 10              | 1000         |
| 11  | 111056       | CB411                    | 6x9x12      | MT954/9523/3701/3703                                                                              | 10              | 1000         |
| 12  | 111500       | E64                      | 5x10x16.5   | GWS14-125CI/10-125/14-150CI/15-150CIH/GPO12CE/<br>8-115                                           | 10              | 1000         |
| 13  | 111007       | 11E<br>(Auto-Stop)       | 6.3x16x26   | DH-18C(#76)                                                                                       | 10              | 1000         |
| 14  | 111160       | #43                      | 7x11x17     | CM4SA/GSD110C/MC-110C/125A/125AX/125C/150A/<br>AG-125B/150B/SC-125A/EM-160B/CM4SA/CM4SB/7"(205mm) | 10              | 1000         |
| 15  | 111013       | 6-100                    | 5x8x15.5    | 6-100/A86/GWS750/GWS060/GWS8-100CE/GGS3000/<br>GGS5000/GWS900-100S                                | 10              | 1000         |



## DIAMOND CORE BIT(M32(UNF)/M22/M32(UNC))

| No.        | Size(mm) | Package    | PCS/CTN (BOX) | Product Code |
|------------|----------|------------|---------------|--------------|
| WHITE BOX  |          |            |               |              |
| 1          | φ16X450  | White Box  | 42            | 3080108      |
| 2          | φ18X450  | White Box  | 42            | 3080029      |
| 3          | φ20X450  | White Box  | 42            | 117108029    |
| 4          | φ22X450  | White Box  | 42            | 3080109      |
| 5          | φ25X450  | White Box  | 42            | 117108010    |
| 6          | φ27X450  | White Box  | 42            | 117108011    |
| 7          | φ30X450  | White Box  | 28            | 3080055      |
| 8          | φ32X450  | White Box  | 28            | 3080002      |
| 9          | φ36X450  | White Box  | 28            | 117108021    |
| 10         | φ38X450  | White Box  | 28            | 117108012    |
| 11         | φ40X450  | White Box  | 28            | 117108022    |
| 12         | φ51X450  | White Box  | 20            | 116250       |
| 13         | φ63X450  | White Box  | 20            | 117108014    |
| 14         | φ66X450  | White Box  | 17            | 3080114      |
| BUBBLE BAG |          |            |               |              |
| 15         | φ71X450  | Bubble Bag | 15            | 3080119      |
| 16         | φ76X450  | Bubble Bag | 15            | 117108035    |
| 17         | φ83X450  | Bubble Bag | 12            | 3080054      |
| 18         | φ89X450  | Bubble Bag | 12            | 3080030      |
| 19         | φ102X450 | Bubble Bag | 9             | 117108036    |
| 20         | φ108X450 | Bubble Bag | 9             | 3080048      |
| 21         | φ112X450 | Bubble Bag | 8             | 3080060      |
| 22         | φ120X450 | Bubble Bag | 8             | 3080006      |
| 23         | φ127X450 | Bubble Bag | 8             | 117108017    |
| 24         | φ132X450 | Bubble Bag | 6             | 3080005      |
| 25         | φ140X450 | Bubble Bag | 6             | 3080093      |
| 26         | φ152X450 | Bubble Bag | 5             | 117108040    |
| 27         | φ160X450 | Bubble Bag | 4             | 3080051      |
| 28         | φ180X450 | Bubble Bag | 4             | 117108019    |
| 29         | φ200X450 | Bubble Bag | 4             | 117108020    |
| 30         | φ220X450 | Bubble Bag | 2             | 3080094      |
| 31         | φ230X450 | Bubble Bag | 1             | 3080056      |
| 32         | φ245X450 | Bubble Bag | 1             | 3080100      |
| 33         | φ254X450 | Bubble Bag | 1             | 3080116      |
| 34         | φ270X450 | Bubble Bag | 1             | 3080113      |
| 35         | φ300X450 | Bubble Bag | 1             | 3080032      |
| 36         | φ350X450 | Bubble Bag | 1             | 3080130      |







**NEWBEAT®**

# Armature

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS

**50** pcs/ctn  
Small size

**30** pcs/ctn  
Medium size

**12** pcs/ctn  
Big size



**NO.102881**  
**9553NB**



**NO.102400**  
**HR2470**



**NO.102588**  
**9556**



**NO.1021025**  
**PD100D**



**NO.102058**  
**GWS7-100**




**NO.102020**  
**DW801**



**NO.102051**  
**Du10**



**NO.102420**  
**9556**



**NO.102838**  
**2-26**



**NO.102453**  
**FF-10A**




**NO.102605**  
**9913**



**NO.102247**  
**G10SS2**



**NO.102129**  
**PD100M**



**NO.102444**  
**2-20**



**NO.102018**  
**GWS6-100**



**NO.102246**  
**G10SS**





**NEWBEAT®**

# Armature

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS

**50** pcs/ctn  
Small size

**30** pcs/ctn  
Medium size

**12** pcs/ctn  
Big size



**NO.1021221**

GWS17-125CIE



**NO.102014**

0810



**NO.102399**

HR2450



**NO.102113**

MT60



**NO.102013**

CM4SA



**NO.102308**

GDC120



**NO.102342**

MT410



**NO.102316**

GKS190(NEW)




**NO.102258**

KM4SA



**NO.1021595**

TE-12



**NO.1021596**

TE-14



**NO.102104**

G15SA2



**NO.102206**

KPT561



**NO.102774**

GWS7-115(NEW)



**NO.102046**

CM4SB



**NO.102212**

DWD024





NEWBEAT®

# Armature

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS

**50** pcs/ctn  
Small size

**30** pcs/ctn  
Medium size

**12** pcs/ctn  
Big size




NO.102102  
HM1304




NO.102878  
PH65SC



NO.102338  
11E



NO.102432  
GA7020



NO.102814  
GWS24-230



NO.102238  
DW28720




NO.102303  
GWS20-180




NO.102039  
ph65a



NO.102766  
GSH11E



NO.102103  
HM1201



NO.1022116  
1212



NO.137003003  
DH-0860



NO.102978  
5016



NO.1021491  
CC14STA



NO.1021075  
GCO14-24J



NO.102093  
GA9040





**NEWBEAT®**

# Armature


PROFESSIONAL & HIGH QUALITY

## SPARE PARTS

**50** pcs/ctn  
Small size

**30** pcs/ctn  
Medium size

**12** pcs/ctn  
Big size



**NO.1021598**

**RUBIMIX-2**



**NO.102565**

**1804N**




**NO.102286**

**7614NB**



**NO.102367**

**9227C**



**NO.102313**

**GCO200**



**NO.102896**

**TE2-2**




**NO.102595**

**AEG230(NEW)**



**NO.102773**

**CC14STD**



**NO.102265**

**CC14SF**



**NO.1021597**

**RUBIMIX-1**



**NO.102252**

**G18SE2**



**NO.1021076**

**GCO2400J**



**NO.102591**

**GE180(NEW)**



**NO.102239**

**DW871**



**NO.1021486**

**GKS235(NEW)**



**NO.102118**

**LG355**





NEWBEAT®

# Switch

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS



500 pcs/ctn  
Small size

200/250 pcs/ctn  
Medium size

100 pcs/ctn  
Big size



NO.107920  
DW801(S)



NO.107593  
DW801(BIG)



NO.107594  
FF-10A



NO.107793  
FF-160



NO.107930  
6-100



NO.107597  
G15SA2



NO.107123  
G18SE2



NO.107651  
DW871  
DW28491



NO.107572  
GBH388



NO.107614  
GBH2-26



NO.107939  
GBH2-20



NO.107564  
MT410



NO.107619  
9553



NO.107640  
GCO200



NO.107647  
5016



NO.107612  
11E



NO.107912  
CM4SA



NO.107816  
PH65A



NO.107928  
0810



NO.107579  
HP1630



NO.107618  
G18SH2



NO.107615  
GSB13RE



NO.107909  
LG355



NO.107658  
03-26



NO.107644  
2414NB



NO.107911  
3612BR



NO.107927  
GA7020



NO.107648  
CM4SB



NO.107887  
7614NB



NO.107677  
9227C



NO.107850  
APT45



NO.107625  
HR2470



NO.107610  
CC14STD



NO.107562  
28700



NO.107638  
G10SS



NO.107740  
35-1



NO.107929  
GWS20-180



NO.107408  
GDC120



NO.107085  
CROWN 180



NO.107011  
6.5A



# Gear

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS

**300** pcs/ctn  
Small size

**200/250** pcs/ctn  
Medium size

**50/100** pcs/ctn  
Big size



**NO.104483**  
DW28720/7614



**NO.104467**  
DW871



**NO.104456**  
0810



**NO.104629**  
CC14STD



**NO.115001119**  
GBH 2-20



**NO.115004115**  
GBH2-26



**NO.115008170**  
PH65A



**NO.104125**  
HM1304



**NO.104487**  
PH65A



**NO.104536**  
CM4SA



**NO.104450**  
DW801



**NO.104437**  
PD100M



**NO.104454**  
CM4SB



**NO.104455**  
MT410



**NO.104451**  
PD100D



**NO.104465**  
2310



**NO.104472**  
GCO200



**NO.104462/104643**  
5016



**NO.104489**  
11E



**NO.104507**  
GDC120



**NO.104442**  
6-100



**NO.104554**  
GA7020



**NO.104757**  
9553



**NO.104763**  
LG355



**NO.104782**  
G15SA2



**NO.115001120**  
GBH2-20



**NO.115004111**  
GBH2-26



**NO.104611**  
FF-160



**NO.104512**  
GA9020



**NO.104592**  
GWS20-230



**NO.104508**  
1331



**NO.104535**  
GWS6-100





**NEWBEAT®**

# Bearing

PROFESSIONAL & HIGH QUALITY

## SPARE PARTS



**1pc**

Color bag+  
small color box

**20pcs**

MIDDLE color box

**500pcs**

Color Carton

|                                                                                                             |                                                                                                             |                                                                                                               |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <br>NO.109235<br>607-RS    | <br>NO.109236<br>627-RS    | <br>NO.109129<br>6200-RS   |
| <br>NO.109222<br>608-RS    | <br>NO.109251<br>698-RS    | <br>NO.109224<br>6201-RS   |
| <br>NO.109251<br>609-RS   | <br>NO.1109131<br>6300-RS | <br>NO.109269<br>6203-RS  |
| <br>NO.109240<br>626-RS  | <br>NO.109234<br>6001-RS | <br>NO.109218<br>6000-RS |
| <br>NO.109228<br>629-RS  | <br>NO.109233<br>6002-RS | <br>NO.109233<br>6002-RS |
| <br>NO.109234<br>6001-RS |                                                                                                             |                                                                                                               |
| <br>NO.109194<br>609-ZZ  | <br>NO.109185<br>6001-ZZ | <br>NO.109188<br>6201-ZZ |
| <br>NO.109158<br>608-ZZ  | <br>NO.109086<br>6002-ZZ | <br>NO.109189<br>6202-ZZ |
| <br>NO.109197<br>6003-ZZ | <br>NO.109184<br>6000-ZZ | <br>NO.109191<br>626-ZZ  |



# CUSTOMIZED GIFT LIST

Thank you for your inquiry and we submit our quotation as follow :



No.1011955



PEN

¥1.00/PC

No.1011956



NOTEBOOK

¥3.00

No.1011954



NOTEBOOK  
(HARDBACK EDITION)

¥23.00

No.1010322877/10103000829



PRODUCTS CATALOGUE/  
MINI CATALOGUE  
WITH NOTEBOOK

¥6.00


No.1011953



NEWBEAT  
POST-IT NOTES

¥2.50

No.10101086



NEWBEAT NON-WOVEN BAG  
SIZE: 40\*35\*12CM

¥1.60

No.10103000794/10103000793



NEWBEAT PLASTIC BAG  
S-SIZE: 47.5\*34CM  
M-SIZE: 60\*45CM

¥0.20/S

¥0.30/M

No.10120012



NEWBEAT TOOL BAG  
(30\*45\*20CM)

¥8.50

No.1011909



NEWBEAT GIFT T-SHIRT  
(WS/MM/S/M/L/XL/2XL/3XL/4XL)

¥45.00

No.1011974



CAP WITH NEWBEAT LOGO

¥12.00

No.117062



NEWBEAT GIFT  
DISPLAY STAND  
(1000\*450\*2200MM)

¥450.00

No.117310



NEWBEAT  
SLIDING DOOR STICKERS

¥10.00



# CUSTOMIZED GIFT LIST

Thank you for your inquiry and we submit our quotation as follow :



No.1011978



NEWBEAT  
MOBILE PHONE BRACKET

¥45.00


No.10120010



NEWBEAT  
MOBILE PHONE BRACKET

¥45.00

No.10103000887



NEWBEAT  
TRANSPARENT TAPE

¥6.50

No.1011982



NEWBEAT  
FLASH DRIVE

¥19.50

No.117286



NEWBEAT  
FAN

¥25.00

No.117312



NEWBEAT  
PAPER FLAG

¥0.50

No.117313



NEWBEAT  
POSTER WALL STICKERS

¥10.00

No.117268



LARGE SUNSHADE  
UMBRELLA

¥97.00

No.117298



NEWBEAT  
LOUVER

¥310.00


No.117318/117315



NEWBEAT  
KNIFE-SHAPED FLAG

¥64.00

No.117309



NEWBEAT  
VEST BAG

¥0.20

No.10120001



NEWBEAT  
ENVELOPE

¥1.00





# CUSTOMIZED GIFT LIST

Thank you for your inquiry and we submit our quotation as follow :

No.10120007



NEWBEAT  
FOOTBALL 5

¥16.00

No.10120008



NEWBEAT  
COFFEE CUP

¥13.50

No.10120009



NEWBEAT  
BOTTLE OPENER

¥9.00

No.1011958(1 agent 1 pcs only)



NEWBEAT  
3D CARTOON MODELS

¥??.??



MORE COMING SOON...

¥??.??



[illegible]





**NEWBEAT®**

## NEWBEAT BRAND AGENTS WORLD DISTRIBUTION MAP



## GLOBAL DISTRIBUTOR & AGENTS



Ghana



Nepal



Cambodia



Thailand



Syria



Malaysia



Egypt



Singapore



Colombia



Pakistan



Jordan



Qatar



UAE



Senegal



Nigeria



Iran



Palestine



Brazil



Moldova



Morocco



Saudi Arabia



Russia



Kosovo



Peru



Tanzania



Libya



Afghanistan



Vietnam





# NEWBEAT®



Scan the QR code to  
know our products more.

## Nantong.Jiangsu.China

Web: [www.newbeat-tools.com](http://www.newbeat-tools.com)

TEL:0086-13962903715 0086-15370849776

Email:[max@newbeat-tools.com](mailto:max@newbeat-tools.com)

[lee@newbeat-tools.com](mailto:lee@newbeat-tools.com)

## Yiwu.Zhejiang.China

Address:Room 17A06, Block A, Futian Building, Yiwu

